



Dometic Direct is your first option for fast, efficient access to important dealer services from the Dometic Corporation.

Our factory-trained sales consultants understand your needs from large complex orders to product information. Their knowledge and enthusiasm to assist you makes Dometic Direct the perfect way to order genuine Dometic parts and products. Our quality service to you means faster service to your customers.

Eight convenient regional warehouse locations mean fast shipment or rapid pickup of quality Dometic products. Convenient shipping, along with our full and expanding range of industry leading products, is available 24/7 by phone, fax or Internet.

Key Information to Remember

Web access: www.edometic.com

Dometic Image Bank: www.dometic.com/imagebank

Phone: 800-366-3842 or 574-294-8520

Fax: 574-294-8628

New Products

New lightweight, earth-friendly, Euro inspired products from the creative minds at Dometic include:

- Portable refrigerator/freezers for "Freeze to go." From 0.7 cu. ft. to 3.77 cu. ft. See page 1-16.0.
- Dometic earth-friendly products includes CLEAN 'n GREEN, formaldehyde free, bowl cleaner and tank deodorant in a reusable container. Enviro-SOFT toilet paper is made from 100 percent recycled paper in rolls of 500, 2-ply sheets. Page 3-7.0
- Our innovative Cabana Dome Awning is light weight, durable and easy to setup. See page 2-13.0
- Dometic now has a power awning for every RV size.

eDometic

Dometic continues to expand web-based dealer communications. Dealers can access information and images through the Internet, order products and obtain essential information quickly and easily.

To access the eDometic system you must first register. At that time we'll help you build a personalized web site that meets your unique dealer needs in a way that is easy and efficient. If you're already registered, simply log in using your Username and password.

Thank you for being a part of the Dometic worldwide family.

Index

Refrigerators

Refrigerator Models Chart	1-1.0
Elite 2+2 Refrigerators	1-2.0
Elite 2+2 Model Lineup	1-3.0
New Generation Refrigerators	1-4.0
New Generation Model Lineup	1-5.0
SideWise Refrigerators	1-6.0
SideWise Model Lineup	1-7.0
New Dimensions™ Refrigerators	1-8.0
New Dimensions™ Model Lineup	1-9.0
Americana Refrigerators	1-10.0
Americana Model Lineup	1-11.0
Americana Plus Refrigerators	1-12.0
Americana Plus Model Lineup	1-13.0
Classic Refrigerators	1-14.0
Classic Model Lineup	1-15.0
Compact/Portable Models	1-16.0
Door Panels, Cooling Units, Accessories	1-17.0
Packaged Parts, Vents, Caps, Assemblies	1-18.0
Replacement Chart	1-19.0
Replacement Chart	1-20.0
Microwave Ovens	1-21.0
Portable Freezers/Refrigerators	1-22.0

Awnings

RV Awnings Application Chart	2-1.0
Fabric Color Chart	2-2.0
Product Specifications Chart	2-3.0
Selection Guide	2-4.0
WeatherPro Awnings	2-5.0/2-6.0
9100 Power Awnings	2-7.0
9000™ Plus Patio Awnings	2-8.0
9000™ Patio Awnings	2-9.0
8500 Plus® Awnings	2-10.0
8500® Awnings	2-11.0
Sunchaser® II Awnings	2-12.0
Cabana/Horizon® II/Trim Line®	2-13.0
Elite™ Window Awnings – Standard	2-14.0
Elite™ Window Awnings – Tall	2-15.0
Deluxe Plus™ Window Awnings – Standard/Metal Weathershield	2-16.0
Deluxe Plus™ Window Awnings – Standard/Vinyl Weathershield	2-17.0
Deluxe Plus™ Window Awnings – Tall/Metal Weathershield	2-18.0
Deluxe Plus Window Awning – Tall/Vinyl Weathershield	2-19.0
Power Window Awnings	2-20.0
Oasis™ II & Elite Oasis™ II Door Awnings	2-21.0
Full Cover SlideTopper™ Awnings	2-22.0

Elite SlideTopper™ Awnings	2-23.0
Deluxe SlideTopper™ Awnings	2-23.0
Universal and Universal Plus Hardware Sets	2-24.0/2-25.0
Patty O' Room™/Patty O' Mat/Patty O' Shade	2-26.0
Xtend-A-Room	2-27.0
Common Replacement Parts	2-28.0
Awning Accessories/Optima	2-29.0
Replacement Fabrics	2-30.0
Systems Replacement Fabrics	2-31.0
Order Form	2-32.0
Awning Installation Measuring	2-33.0
Hardware Measurements/Specifications	2-34.0

Dometic Sanitation

Overview	3-1.0
Concerto™ Toilets	3-2.0
Dometic 510H Toilets	3-3.0
Dometic 210 Toilets	3-4.0
Dometic 310 Toilets	3-5.0
Dometic 970 Portable Toilets	3-6.0
Accessories, Supplies, Parts	3-7.0

Climate Control

Overview	4-1.0
Heat Pumps	4-2.0
ADB/Controls	4-3.0
Thermostats	4-4.0
Application Chart	4-5.0
Penguin Low Profile Heat Pumps	4-6.0
Penguin Low Profile Air Conditioners	4-7.0
Brisk Air Standard Heat Pumps	4-8.0
Brisk Air Air Conditioners	4-9.0
Dometic HP Heat Pumps	4-10.0
Dometic HP Air Conditioners	4-11.0
High Efficiency/Shrouds	4-12.0
Common Parts	4-13.0

Skylights and Windows

Skylights	5-1.0
Windows	5-2.0

First and Foremost in RV Refrigeration

When it comes to cool Dometic delivers high performance, efficiency and style.

For wide-open convenience and contemporary styling, the all-new Elite 2+2 refrigerator (1-2.0) is an exciting addition to the Dometic line. Its revolutionary design chills even the bulkiest foods to frosty perfection.

Dometic's New Generation 7 and 9 cu. ft. refrigerators combine high capacity with the dependable, trouble-free performance you've come to expect from Dometic. When maximum storage space is important, there's no better choice than Dometic's New Generation refrigerators!

Trust Dometic for cutting-edge technology and clean, contemporary styling. After all, we didn't just improve RV refrigeration. We invented it!



Dometic Refrigerator Models	Type					Operation		Optional IM	Power Source					Recess Dimensions		
	2+2	Side-by-Side	Lg. Dbl. Door	Sm. Dbl. Door	Single Door	2-Way 110/LP	3-Way 110/LP/12V	Absorption	Auto/Manual Auto LP	Electronic Auto/Elec LP	Manual Electronic LP	Piezo LP	Height	Width	Depth	
Elite 2+2																
RM1350	X					X		X	X				63 3/16	32 3/4	26 1/16	
New Generation																
RM3762			X			X		X	X				53 3/4	23 11/16	24	
RM3962			X			X		X	X				62 63/64	23 11/16	24	
SideWise																
NDA1402		X				X		X	X				63 3/16	32 3/4	26 1/16	
Americana																
RM2351					X	X						X	29 3/4	20 1/2	21 3/8	
RM2354					X		X					X	29 3/4	20 1/2	21 3/8	
RM2451					X	X						X	36 9/16	23 11/16	24	
RM2454					X		X					X	36 9/16	23 11/16	24	
RM2551					X	X				X			42 5/8	23 11/16	24	
RM2554					X		X		X				42 5/8	23 11/16	24	
DM2652				X		X		X		X			53 3/4	23 11/16	24	
DM2852			X			X		X		X			59 15/16	23 11/16	24	
Americana Plus																
DM2662				X		X		X	X				53 3/4	23 11/16	24	
DM2862			X					X	X				59 15/16	23 11/16	24	
Classic																
RM2620				X		X			X				49 1/2	21 3/4	24	
RM2820			X			X			X				55 3/8	23 5/8	24	
Compact																
RM2410.2					X	X						X	32 7/16	22 3/16	24	
RM2510.2					X	X					X		40 5/16	21 13/16	24	
RM2193					X		X					X	21	17 3/4	21 1/2	
RM4223					X		X					X	21	19 1/4	24	
Portable Refrigerator																
RC4000					X		X						16 1/4	23 5/8	21	
Portable Freezer/Refrigerators																
CF-18 .7 cu. ft.													16	12	18	
CF-25 .9 cu. ft.													16.7	10.2	21.7	
CF-35 1.1 cu. ft.													15.1	14	22.8	
CF-40 1.3 cu. ft.													17.5	14	22.8	
CF-50 1.7 cu. ft.													19	14	24.8	
CF-80 2.8 cu. ft.													18	19.6	31	
CF-110 3.77 cu. ft.													22	19.6	31	

Dometic® RV Refrigeration

2-Door Pass-Through Freezer +

2-Way Power or All-Electric

Elite 2+2 Refrigerators

- A higher standard for RV refrigeration
- Pass-through freezer section
- Automatic door lock activated by RV ignition system
- Larger cooling unit
- Contemporary styling
 - Three crispers
 - Dual-way shelf guards
 - Through-the-door ice water
 - Optional ice maker
 - 2-way power



ORDER NO.

RM1350WIMSS	Silver Stainless
RM1350WIMBS	Black Stainless
RM1350WIM	Accepts Panels

See page 1-17.0 for door insert panels
See page 1-17.0 for replacement cooling unit
See page 1-18.0 for roof and side vents
See pages 1-19.0-20.0 for refrigerator replacement chart

Dometic® RV Refrigeration 2-Door Pass-Through Freezer +

2-Way Power or All-Electric

Elite 2+2 Model Lineup

	RM1350WIM	RM1350WIMBS	RM1350WIMSS
AGA/CGA Certified	X	X	X
2-Way Operation, 110V AC/LP Gas	X	X	X

CONTROL PACKAGES

Automated Ambient Temperature	X	X	X
Eye-Level Electronic Controls	X	X	X
Standby Operation Mode	X	X	X
Automatic Ignition Locks	X	X	X

EXTERIOR FEATURES

Platinum Stainless Steel			X
Black Stainless Steel		X	
Offset Door Configuration	X	X	X
Residential Style Handles	X	X	X
Positive Lock System	X	X	X
Solid Steel Frame	X	X	X
Automatic Front-Frame Heater	X	X	X
CFC/HCFC-Free Foam Insulation	X	X	X

INTERIOR FEATURES

Optional Automatic Ice Maker	X	X	X
Easy-Clean White Interior	X	X	X
Versatile Racking System	X	X	X
Designer White-Coated Shelves	X	X	X
Sliding Freezer Bins	X	X	X
Dual Shelf Guards and Slide-Out Shelf	X	X	X
Adjustable Door Bins with Magic Fingers™	X	X	X
Halogen Interior Lighting	X	X	X

PRODUCT SPECIFICATIONS

	Overall Dimensions (HxWxD)	Recess Dimensions (HxWxD)	Shipping Weight
RM1350WIM	64 17/64" x 33 11/16" x 26 1/16"	63 3/16" x 32- 3/4" x 26 1/16"	328 lbs.
RM1350WIMSS	64 17/64" x 33 11/16" x 26 1/16"	63 3/16" x 32- 3/4" x 26 1/16"	328 lbs.
RM1350WIMBS	64 17/64" x 33 11/16" x 26 1/16"	63 3/16" x 32- 3/4" x 26 1/16"	328 lbs.

Subject to change without notice.

New Generation Refrigerators – 7 cu. ft.

New Generation Refrigerators – 9 cu. ft.

RM3762



- A higher standard for RV refrigeration
- 7 cubic feet of capacity
- Extra cubic foot of interior capacity
- Intuitive, self-locking door handles
- Stylish, residential appearance
- Contemporary styling
 - Flush-mounted interior light
 - Shelf guards
 - Four interior fresh food shelves
 - Versatile Racking System™
 - Self-adjusting Magic Fingers™



ORDER NO.

RM3762RB	Double Door
RM3762RBS	Double Door Black Stainless
RM3762RSS	Double Door Silver Stainless
RM3762RBSIMF	Double Door Ice Maker, Fan
RM3762RBSIMF	Double Door Black Stainless, Ice Maker, Fan
RM3762RSSIMF	Double Door Silver Stainless, Ice Maker, Fan

See page 1-17.0 for door insert panels
 See page 1-17.0 for replacement cooling unit
 See page 1-18.0 for roof and side vents
 See pages 1-19.0-20.0 for refrigerator replacement chart

RM3962



- A new standard for RV refrigeration
- 9 cubic feet of capacity
- Extra cubic foot of interior capacity
- Intuitive, self-locking door handles
- Stylish, residential appearance
- Solid steel front frame
 - Flush-mounted interior light
 - Shelf guards
 - Four interior fresh food shelves
 - Versatile Racking System™
 - Self-adjusting Magic Fingers™



ORDER NO.

RM3962RB	Double Door
RM3962RBS	Double Door Black Stainless
RM3962RSS	Double Door Silver Stainless
RM3962RBSIMF	Double Door Ice Maker, Fan
RM3962RBSIMF	Double Door Black Stainless, Ice Maker, Fan
RM3962RSSIMF	Double Door Silver Stainless, Ice Maker, Fan

New Generation Model Lineup

	RM3762	RM3962
AGA/CGA Certified	X	X
2-Way Operation, 110V AC/LP Gas	X	X

CONTROL PACKAGES

Climate Control Cooling System	X	X
Automated Ambient Temperature	X	X
Eye-Level Electronic Controls	X	X
Standby Operation Mode	X	X

EXTERIOR FEATURES

Platinum Stainless Steel	X	X
Black Stainless Steel	X	X
Offset Door Configuration	X	X
Residential Style Handles	X	X
Positive Lock System	X	X
Solid Steel Frame	X	X
Automatic Front-Frame Heater	X	X
CFC/HCFC-Free Foam Insulation	X	X

INTERIOR FEATURES

Optional Automatic Ice Maker	X	X
Easy-Clean White Interior	X	X
Versatile Racking System™	X	X
Designer White-Coated Shelves	X	X
Tip-Out Freezer Door Shelves		
Sliding Freezer Bins	X	X
Dual Shelf Guards and Slide-Out Shelf	X	X
Adjustable Door Bins with Magic Fingers™	X	X
Halogen Interior Lighting	X	X

PRODUCT SPECIFICATIONS

	Overall Dimensions (HxWxD)	Recess Dimensions (HxWxD)	Shipping Weight
RM3762	54 3/4" x 25 5/16" 26 1/16"	53 3/4" x 23 11/16" x 24"	143 lbs.
RM3962	63 15/16" x 25 5/16" x 26 1/16"	62 61/64" x 23 11/16" 24"	171 lbs.

Subject to change without notice.

SideWise Refrigerators

- A unique look and style in RV refrigeration
- Fan-assisted Climate Control Cooling System
- Automated ambient temperature feature
- Automatic ice maker standard
- Water in the door
- 180° full door swing
 - Eye-level electronic controls with standby mode
 - Halogen interior lighting
 - Stainless steel exterior, black or platinum
 - Solid steel frame
 - Automatic front-frame heater prevents condensation
- Versatile Racking System™
- Tip-out freezer door shelves
- Sliding freezer bins
- Clear crispener and meat locker
- CFC and HCFC-free
- 2-Way power



ORDER NO.

NDA1402WIDF	2-Way, SBS, Dual Insets, Water and Ice in the Door, Fan
NDA1402WIDBSF	2-Way, SBS, Black Stainless, Water and Ice in the Door, Fan
NDA1402WIDSSF	2-Way, SBS, Silver, Water and Ice in the Door, Fan

See page 1-17.0 for door insert panels
See page 1-17.0 for replacement cooling unit
See page 1-18.0 for roof and side vents
See pages 1-19.0-20.0 for refrigerator replacement chart

SideWise Model Lineup

	NDA1402WIDBSF	NDA1402WIDSSF	NDA1402WIDF
AGA/CGA Certified	X	X	X
2-Way Operation, 110V AC/LP Gas	X	X	X

CONTROL PACKAGES

Climate Control Cooling System	X	X	X
Automated Ambient Temperature	X	X	X
Eye-Level Electronic Controls	X	X	X
Standby Operation Mode	X	X	X

EXTERIOR FEATURES

Platinum Stainless Steel		X	
Black Stainless Steel	X		
Offset Door Configuration	X	X	X
Residential Style Handles	X	X	X
Positive Lock System	X	X	X
Solid Steel Frame	X	X	X
Vacuum Insulated Panels	X	X	X
Automatic Front-Frame Heater	X	X	X
CFC/HCFC-Free Foam Insulation	X	X	X

INTERIOR FEATURES

35% More Usable Capacity	X	X	X
Automatic Ice Maker	X	X	X
Easy-Clean White Interior	X	X	X
Defrost Water Drain System	X	X	X
Versatile Racking System™	X	X	X
Designer White-Coated Shelves	X	X	X
Tip-Out Freezer Door Shelves	X	X	X
Sliding Freezer Bins	X	X	X
Self-Storing Freezer Shelf	X	X	X
Shelf Guards and Slide-Out Shelf	X	X	X
Adjustable Door Bins with Magic Fingers™	X	X	X
Crispers (quantity)	2	2	2
Halogen Interior Lighting	X	X	X
Automatic Defrost	X	X	X
Ice Water in Door	X	X	X

PRODUCT SPECIFICATIONS

	Overall Dimensions (HxWxD)	Recess Dimensions (HxWxD)	Shipping Weight
NDA1402WIDF	64 17/64" x 33 11/16" x 29 5/8"	6 3 11/16" x 32" x 26 1/16"	328 lbs.
NDA1402WIDBSF	64 17/64" x 33 11/16" x 29 5/8"	6 3 11/16" x 32" x 26 1/16"	328 lbs.
NDA1402WIDSSF	64 17/64" x 33 11/16" x 29 5/8"	6 3 11/16" x 32" x 26 1/16"	328 lbs.

Subject to change without notice.

New Dimensions™ Refrigerators

NDM1062



ORDER NO.

NDM1062RBF	2-Way, Double Door
NDM1062RBIMHF	2-Way, Double Door with Ice Maker, Heater Kit
NDM1062RBSF	Double Door, Black Stainless
NDM1062RBSIMH	Double Door, Black Stainless, Ice Maker, Heater Kit
NDM1062RSSF	Silver Stainless, Fan
NDM1062RSSIMHF	Silver stainless, Ice Maker, Fan, Heater Kit

- 25% more interior capacity than models with the same outside dimensions
- 2-way power with automatic LP ignition
- Optional ice maker
- Integrated exterior profile
- 180° full door swing
 - Eye-level automatic or manual electronic controls
 - Climate Control Cooling System
 - Steel frame
 - High-efficiency insulation uses no CFCs or HCFCs
 - Large residential style door handles lock automatically
 - Bright white, easy-to-clean interior
 - Lighted fresh food compartment
 - Versatile Racking System™
 - Meat locker, crisper and dairy compartments



See page 1-17.0 for door insert panels
 See page 1-17.0 for replacement cooling unit
 See page 1-18.0 for roof and side vents
 See pages 1-19.0-20.0 for refrigerator replacement chart

New Dimensions Model Lineup

	NDM1062RB	NDM1062RBIMHF
IMH		
AGA/CGA Certified	X	X
2-Way Operation (110V AC/LP Gas)	X	X
CONTROL PACKAGES		
Eye-Level Automatic-Manual Electronic Controls with Automatic LP Ignition System	X	X
Standby Operation Mode	X	X
EXTERIOR FEATURES		
Modern Integrated Exterior, Design Profile	X	X
Monochromatic Frame	X	X
Residential-Style Door Handles with Automatic Lock	X	X
Climate Control Cooling System	X	X
Doors that Open 180°	X	X
CFC/HCFC-Free Foam Insulation	X	X
Gray Stainless Steel Doors	AVAIL	AVAIL
Black Stainless Steel Doors	AVAIL	AVAIL
INTERIOR FEATURES		
Versatile Racking System™		
Beautifully Sculpted, Practical and Easy-To-Clean White Interior	X	X
Designer White-Coated Shelves	X	X
Adjustable, Removable Door Bins	X	X
2-Liter Bottle and 1/2-Gallon Container Door Storage	X	X
1-Gallon Container Shelf Storage	X	X
Adjustable White Shelves in Fresh Food Compartment with Lock-In Feature (quantity)	4	4
Defrost Water Drain System	X	X
Interior Light in Fresh Food Compartment	X	X
Adjustable Freezer Shelf (quantity)	1	
Ice Bucket, Shelf and Juice Rack on Freezer Door	X	
Absorption Ice Maker with Juice Rack on Freezer Door		X
Absorption Ice Maker with Ice Bucket in Freezer		X
Designer Interior Graphics	X	X
Adjustable Dometic Shelf Guards in Fresh Food Compartment	X	X
Tall Bottle Retainer Bar on Lower Door Shelf	X	X
Magic Fingers® in Door Shelves	X	X
Filler Tray for 1-Gallon Container Location	X	X
Crispers (quantity)	3	3
Door Bins in Fresh Food Compartment (quantity)	4	4
Meat Locker with Lid	X	X
Doors Bins in Freezer Compartment	2	2

PRODUCT SPECIFICATIONS

	Overall Dimensions (HxWxD)	Recess Dimensions (HxWxD)
NDM1062RB, NDM1062RBIMHF	60 51/64" x 24 7/8" x 26 5/8"	59 15/16" x 23 11/16" x 24"

Subject to change without notice.

Americana Refrigerators

Americana Double Door Models



DM2652RB and DM2852RB

- 2-way operation
- Flexible storage options
- Eye-level electronic controls with automatic electronic LP ignition system
- 3-position adjustable freezer shelf
- Two crispers
- Doors open 180°
 - Easy clean white interior
 - Removable door bins
 - 2-liter bottle and 1/2-gallon container door storage
 - Black frame
 - Positive lock door handles



ORDER NO.

DM2652RB, DM2852RB

2-Way Black Frame

Right or left door swing options

Right door swing (handle on left, hinges on right) is standard. Use product number to determine door reversing kit.

See page 1-17.0 for door insert panels
 See page 1-17.0 for replacement cooling unit
 See page 1-18.0 for roof and side vents
 See pages 1-19.0-20.0 for refrigerator replacement chart



Americana Single Door Models



RM2351 and RM2354

- Top controls
- 1/2-gallon container shelf storage
- 2-way or 3-way operation

RM2451 and RM2454

- 2-way or 3-way operation
- Top mounted controls
- Positive lock door handles
- Adjustable, removable door bins
- Eye-level electronic controls with automatic electronic LP ignition system

RM2551 and RM2554

- 2-way or 3-way operation
- Top mounted controls
- Stylish, integrated exterior design
- Positive lock door handles
- Adjustable, removable door bins
- Defrost water drain system
- Black or taupe frame
- 1-gallon container shelf storage

ORDER NO.

RM2351, RM2451, RM2551

2-Way

RM2354, RM2454, RM2554

3-Way



Americana Model Lineup

	RM2351	RM2354	RM2451	RM2454	RM2551	RM2554	DM2652	DM2852
AGA/CGA Certified	Std	Std	Std	Std	Std	Std	Std	Std
2-Way Operation (110V AC/LP Gas)	Std	—	Std	—	Std	—	Std	Std
3-Way Operation (12V DC/110V AC/LP Gas)	—	Std	—	Std	—	Std	—	—

CONTROL PACKAGES

Eye-Level Electronic Controls with Automatic Electronic LP Ignition System	Std	Std	Std	Std	Std	Std	Std	Std
Stand-By Operation Mode	Std	Std	Std	Std	—	—	Std	Std

EXTERIOR FEATURES

Modern Integrated Exterior Design Profile	—	—	Std	Std	Std	Std	Std	Std
Ergonomically Designed Positive Lock Door Handles	—	—	Std	Std	Std	Std	Std	Std
Climate Control Cooling System	—	—	—	—	—	—	Std	Std
Doors that Open 180°	Std	Std	Std	Std	Std	Std	Std	Std
CFC/HCFC-Free Foam Insulation	Std	Std	Std	Std	Std	Std	Std	Std

INTERIOR FEATURES

Beautifully Sculpted, Practical and Easy-To-Clean White Interior	Std	Std	Std	Std	Std	Std	Std	Std
Adjustable, Removable Door Bins	—	—	Std	Std	Std	Std	Std	Std
2-Liter Bottle and 1/2-Gallon Container Door Storage	Std	Std	Std	Std	Std	Std	Std	Std
1-Gallon Container Shelf Storage	1/2 gal	1/2 gal	Std	Std	Std	Std	Std	Std
Adjustable Wire Shelves in Fresh Food Compartment	—	—	—	—	Std	Std	Std	Std
Defrost Water Drain System	—	—	Std	Std	Std	Std	Std	Std
Interior Light in Fresh Food Compartment	—	—	—	—	—	—	Std	Std
3-Position Adjustable Freezer Shelf	—	—	—	—	—	—	Std	Std
Shelf and Juice Rack on Freezer Door	—	—	—	—	—	—	Std	Std
Crispers (quantity)	—	—	—	—	1	1	2	2
Door Bins in Fresh Food Compartment (quantity)	3	3	3	3	4	4	3	4

PRODUCT SPECIFICATIONS

	Overall Dimensions (HxWxD)	Recess Dimensions (HxWxD)	Shipping Weight
RM2351, RM2354	30 3/8" x 21 11/16" x 22 1/16"	29 3/4" x 20 1/2" x 21 3/8"	71 lbs.
RM2451, RM2454	37 3/8" x 24 11/16" x 24 7/8"	36 9/16" x 23 11/16" x 24"	78 lbs.
RM2551, RM2554	43 1/2" x 24 11/16" x 24 7/8"	42 5/8" x 23 11/16" x 24"	92 lbs.
DM2652	54 9/16" x 24 11/16" x 24 7/8"	53 3/4" x 23 11/16" x 24"	122 lbs.
DM2852	60 5/8" x 24 11/16" x 24 7/8"	59 15/16" x 23 11/16" x 24"	143 lbs.

Subject to change without notice.

Americana Plus Refrigerators



- Eye-level automatic/manual electronic controls
- 2-way power with automatic LP ignition
- Climate control cooling system
- Black or silver frame
- 180° full door swing
 - High-efficiency insulation uses no CFCs or HCFCs
 - Large residential style door handles lock automatically
 - Steel frame
 - Bright white, easy-to-clean interior
 - Lighted fresh food compartment
 - Versatile Racking System™
 - Meat locker and crisper compartments



ORDER NO.

DM2662RB*	2-Way
DM2862RB*	2-Way

*Add IMH for ice maker with heat tape option

Right or left door swing options

Right door swing (handle on left, hinges on right) is standard.
Use product number to determine door reversing kit.

See page 1-17.0 for door insert panels
See page 1-17.0 for replacement cooling unit
See page 1-18.0 for roof and side vents
See pages 1-19.0-20.0 for refrigerator replacement chart



Americana Plus Model Lineup

	DM2662RB	DM2862RB
AGA/CGA Certified	X	X
2-Way Operation (110V AC/LP Gas)	X	X
CONTROL PACKAGES		
Eye-Level Electronic Controls with Automatic Electronic LP Ignition System	X	X
Stand-By Operation Mode	X	X
EXTERIOR FEATURES		
Modern Integrated Exterior, Design Profile	X	X
Ergonomically Designed Positive Lock Door Handles	X	X
Climate Control Cooling System	X	X
Doors that Open 180°	X	X
CFC/HCFC-Free Foam Insulation	X	X
INTERIOR FEATURES		
Beautifully Sculpted, Practical and Easy-To-Clean White Interior	X	X
Adjustable, Removable Door Bins	X	X
2-Liter Bottle and 1/2-Gallon Container Door Storage	X	X
1-Gallon Container Shelf Storage	X	X
Adjustable Wire Shelves in Fresh Food Compartment	X	X
Defrost Water Drain System	X	X
Interior Light in Fresh Food Compartment	X	X
3-Position Adjustable Freezer Shelf	X	X
Shelf and Juice Rack on Freezer Door	X	X
Crispers (quantity)	2	2
Door Bins in Fresh Food Compartment (quantity)	3	4

PRODUCT SPECIFICATIONS

	Overall Dimensions (HxWxD)	Recess Dimensions (HxWxD)	Shipping Weight
DM2662RB	54 21/32" x 24 7/8" x 26 1/32"	53 3/4" x 23 11/16" x 24"	124 lbs.
DM2862RB	60 51/64" x 24 7/8" x 26 1/32"	59 15/16" x 23 11/16" x 24"	143 lbs.

Subject to change without notice.

Classic Refrigerators

- Two popular sizes, designed to fit existing cabinet openings for many older Dometic models and other brands
- Eye-level automatic/manual electronic controls
- 2-way power with automatic LP ignition
- Climate Control Cooling System
- Adjustable thermostat
- Steel frame
 - Standby feature
 - Integrated exterior profile
 - Doors open 180°
 - Automatic, locking door handles
 - Bright white, easy-to-clean interior
 - Lighted fresh food compartment
 - Versatile Racking System™
 - Two crispers, gallon container space

ORDER NO.

RM2620R	2-Way; Double Door
---------	--------------------

RM2820R	2-Way; Double Door
---------	--------------------

See page 1-17.0 for door insert panels

See page 1-17.0 for replacement cooling unit

See page 1-18.0 for roof and side vents

See pages 1-19.0-20.0 for refrigerator replacement chart



Classic Model Lineup

	RM2620R	RM2820R
AGA/CGA Certified	Std	Std
2-Way Operation (110V AC/LP Gas)	Std	Std
CONTROL PACKAGES		
Eye-Level Automatic-Manual Electronic Controls with Automatic LP Ignition System	Std	Std
Standby Operation Mode	Std	Std
EXTERIOR FEATURES		
Climate Control Cooling System	Std	Std
Doors that Open 180°	Std	Std
CFC/HCFC-Free Foam Insulation	Std	Std
INTERIOR FEATURES		
Metal Frame for Uniform Strength, Long-Term Support and Outstanding Durability	Std	Std
Beautifully Sculpted, Practical and Easy-To-Clean White Interior	Std	Std
Adjustable, Removable Door Bins	Std	Std
2-Liter Bottle and 1/2-Gallon Container Door Storage	Std	Std
1-Gallon Container Shelf Storage	Std	Std
Adjustable Wire Shelves in Fresh Food Compartment with Lock-In Feature	Std	Std
Defrost Water Drain System	Std	Std
Interior Light in Fresh Food Compartment	Std	Std
Adjustable Dometic Shelf Guards® in Fresh Food Compartment	Std	Std
Tall Bottle Retainer Bar on Lower Door Shelf	Std	Std
Magic Fingers® in Door Shelves	1 Row	1 Row
Filler Tray for 1-Gallon Container Location	Std	Std
Crispers (quantity)	2	2
Door Bins in Fresh Food Compartment (quantity)	4	4

PRODUCT SPECIFICATIONS

	Overall Dimensions (HxWxD)	Recess Dimensions (HxWxD)	Shipping Weight
RM2620R		49 1/2" x 21 3/4" x 24"	124 lbs.
RM2820R		55 3/8" x 23 5/8" x 24"	143 lbs.

Subject to change without notice.


Compact and Portable Models



RM2193 sized to replace a standard icebox

- 1.9 cubic feet capacity
- 3-way power
- Sized to replace a standard icebox

ORDER NO.	DIMENSIONS
RM2193	21"H x 17 3/4"W x 21 1/2"D



RM2410.2 and RM2510.2R sized to fit standard cabinet openings

- RM2410.2 – 4.0 cu. ft.
- RM2510.2R – 5.0 cu. ft.
- 2-way power – AC/LP gas

ORDER NO.	DIMENSIONS
RM2410.2	32 7/8"H x 22 3/16"W x 24"D
RM2510.2R	40 5/16"H x 21 13/16"W x 24"D



RM4223 with standard rear cooling unit, ideal for pickup campers and smaller travel trailers

- Rear cooling unit
- 2.5 cubic feet of storage
- 3-way power

ORDER NO.	DIMENSIONS
RM4223	21"H x 19 1/4"W x 24"D

Portable

ORDER NO.	DIMENSIONS
RC4000	16 1/4"H x 23 5/8"W x 21"D (with wheels attached)



*See our extended line of portable freezer/refrigerators on page 1-22.0

Refrigerator Door Panels and Cooling Units

Refrigerator Door Panels

Wood Grain Panels

ORDER NO.

3106863.008B	Main Panel RM2410.2
3106863.016B	Main Panel RM2510.2
3106863.024B	Both Panels RM2620
3106863.032B	Both Panels RM2820
3106863.057B	Main Panel RM2451/2454
3106863.065B	Main Panel RM2551/2554
3106863.073B	Both Panels RM2652/3662/3663
3106863.081B	Both Panels RM2852/3862/NDR1062
3106863.099B	Main Panel RM2193
3106863.131B	Both Panels NDR1292
3106863.156B	Both Panels RM3962
3106863.164C	Both Panels RM3962

Black Acrylic Panels

ORDER NO.

3106863.008C	Main Panel RM2410.2
3106863.016C	Main Panel RM2510.2
3106863.024C	Both Panels RM2620
3106863.032C	Both Panels RM2820
3106863.057C	Main Panel RM2451/2454
3106863.065C	Main Panel RM2551/2554
3106863.073C	Both Panels RM2652/3662/3663
3106863.081C	Both Panels RM2852/3862/NDR1062
3106863.099C	Main Panel RM2193
3106863.131C	Both Panels NDR1292
3106863.156B	Both Panels RM3762
3106863.164C	Both Panels RM3762

New Raised Panels

Aluminum, Black and Bronze

Raised panels for RM3762

ORDER NO.

3311065.030A	Aluminum
3311065.030C	Black
3311065.030D	Bronze

Raised panels for RM3962

ORDER NO.

3311065.020A	Aluminum
3311065.020C	Black
3311065.020D	Bronze



Refrigerator Accessories

For use with Dometic Refrigerator Models RM245/54, RM255/54, RM2652, RM2852, RM3662/63, RM4872/72 and RM3732/7832

3106753.001	- Magic Fingers™ - 2 per package
3107358.008	- Adjustable Shelf Guards™ - One short and two long retainer bars and six clips per package
3106750.007	- Double Dairy Compartment - One complete set per pkg. Replaces one full-width door shelf
3106749.009	- Meat Locker/Crisper - One tub and one lid per pkg.
3309867.004	- Charcoal Filter - Stick-up charcoal deodorizer keeps refrigerators smelling sweet

For use with other models of Dometic Refrigerators

Kit Nos.: 3106753.001	- Magic Fingers™
Kit Nos.: 3107358.008	- Shelf Guards

Refrigerator Door Handle Upgrade Kit

Kit No. 3108705.967	is for RM2611, 2811, 2612, 2812, 2620 and 2820
Kit No. 3108702.634	is for RM7030

Refrigerator Cooling Units

Refrigerator Models	Cooling Unit Part Number
RM2193	2936360110
RM4223	2106311117
(product #931130214-921130222)	
All other product #:	2106311018
RM360, 361, 2300, 2301, 2310	2934334091
RM2332, 2333	2934338092
RM2351, 2352, 2353, 2354	2934341096
RM4290, 4292	2106910116
RM460, 461, 2400, 2401	2934335098
RM2410 (product #921930101 & 921930201)	2934335098
RM2410 (product #921930801, 921930901, 921931101 & 921931201)	2934406014
RM2452, 2453	2934405099
RM2451, 2454	2934409091
RM660, 661, 663, 2500, 2501	2934360096
RM2510 (product #921941101, 921941201, 921941401, 921941501)	2934506094

Refrigerator Models	Cooling Unit Part Number
RM2510 (product #921940101, 921940201, 921940401, 921940501, 921940701, 921940801)	2934360096
RM2552, 2553	2934505096
RM2551, 2554	2934509098
RM2600, 2601, 2602, 2603, 2610, 3600, 3601, 3604	2934801099
RM2604, 2607, 2611, 2612, 3607	2934803095
RM2652, 3662, 3663	
	2934605094 Serial No. Prior to 204
	2934606100 Serial No. After 204
RM2662	2934606100
RM2800, 2801, 2802, 2803, 2810, 3800, 3801, 3804	2934901097
RM2804, 2807, 2811, 2812, 3807	2934903093
RM3762	2934606100
	2934606118
RM3962	2934906104
RM1450	
NDA1402	2934948106

Refrigerator Models	Cooling Unit Part Number
RM4801, 4804	2934902095
RM2852, 3862, 3863	2934806106
	2934805090
RM2862	26934806106
RM4873, 4872	2934805090
RM7030, 7130	2934940996
RM7732, 7832	2934945102
NDR1062*	2934805090* Serial No. Prior to 204
	2934806106 Serial No. After 204
NDR1272, 1282, 1292, 1492	2934945102

* Call Dometic Direct for proper identification. Product number and serial number required.

Refrigerator Packaged Parts, Vents, Caps and Assemblies

Refrigerator Packaged Parts


THERMOCOUPLE
No. 016937200P
THERMOCOUPLE
No. 293149604P
THERMOCOUPLE
No. 293182601P
DOOR HANDLE KIT
No. 3108702.634
BROWN GAS
THERMOSTAT KNOB
No. 200242302P
ELECTRIC THERMOSTAT
KNOB
No. 200242303P

2-WAY SWITCH KNOB
No. 200242304P
3-WAY SWITCH KNOB
No. 200242305P
12V-10W BULB
No. 200729000P
TRAVEL LATCH
No. 200762000P
SWITCH
No. 200766400P
ELECTRODE
No. 293037900P
12V RELAY
No. 293038500P


TRAVEL LATCH
No. 293070605P
ELECTRIC THERMOSTAT
No. 293075801P
TRAVEL CATCH
No. 293109302P
REIGNITOR
No. 293113201P
DOOR SWITCH
No. 294082500P
HINGE PIN
No. 294327600P
VENT LATCH
No. 3101833P006

DOOR HANDLE KIT
No. 3108702.600
FREEZER SPRING
& HOUSING-RH
No. 3108702.618
FREEZER SPRING
& HOUSING-LH
No. 3108702.626

Refrigerator Vents, Caps and Assemblies




ORDER NO.
RM122 10 1/4" x 21"
8030122320 Upper Sidewall Vent,
Polar White




ORDER NO.
RM2214 14" x 22"
8032214320 Lower Sidewall
Vent - Metal
Square Corner, Polar White
8032214330 Lower Sidewall
Vent - Metal
Square Corner, Colonial White



ORDER NO.
3311236.000 Roof Vent Kit,
Polar White




ORDER NO. 13 3/4" x 21 9/16"
3109350.011 Lower Sidewall
Vent Plastic, Polar White
3109350.029 Lower Sidewall
Vent Plastic, Colonial White
3109350.037 Lower Sidewall
Vent Plastic, Nu-Tru White



Roof Vent
ORDER NO. 5 1/2" x 23 3/4"
3103633.024 Vent Base, Polar White
3103634.022 Vent Cap, Polar White




ORDER NO.
RM2214 14" x 22"
8032214R20 Lower Sidewall
Vent - Metal,
Radius Corner, Polar White
8032214R30 Lower Sidewall
Vent - Metal
Radius Corner, Colonial White



ORDER NO.
RM183 9 11/16" x 19 1/4"
8030211322 Lower Sidewall
Vent, Polar White



ORDER NO.
3108705.744 Ventilator Kit,
Double Door with Switch
3108705.751 Ventilator Kit,
Single Door with Switch



ORDER NO.
RM123 7-3/4" x 19-1/4"
3100451.024 Upper Sidewall Vent,
Polar White

Refrigerators Available for Replacement

REPLACING AN OLD DOMETIC WITH A CURRENT MODEL

Model #	Height	Width	Depth	Dometic Replacement Options	Height	Width	Depth
RM24	22 3/8	19 3/8	19 7/8	RM2193	21	17 3/4	21 1/2
RM190	21 1/2	18 3/4	19 1/2	RM2193	21	17 3/4	21 1/2
RM211	22 11/16	19 5/8	17 5/8	RM2193	21	17 3/4	21 1/2
RM2150	17 1/2	17 3/4	21 1/2	RM2193	21	17 3/4	21 1/2
RM2190	21 1/2	17 3/4	20 1/2	RM2193	21	17 3/4	21 1/2
RM2191, 2193	20 7/8	17 3/4	20 7/8	RM2193	21	17 3/4	21 1/2
RM2200, 2201, 2202	22 1/4	19 1/2	18 1/4	RM2193	21	17 3/4	21 1/2
RM182B	23 1/2	17	17 1/4	NO DIRECT VENT REPLACEMENT			
RM215	27 1/2	19 3/8	18 1/2	NO DIRECT VENT REPLACEMENT			
RM2192	24 3/16	17 3/4	21 1/8	NO DIRECT VENT REPLACEMENT			
RM4223	20 15/16	19 5/8	24	CURRENT			
RM4290, 4292	29 5/8	20 5/8	20	RM2351, 2354	29 3/4	20 5/8	20
RM36	28 3/4	20 1/2	20 5/8	RM2351, RM2354	29 3/4	20 1/2	21 3/8
RM360, 361, RM2300, 2301, RM2310, 2332, 2333	29 3/4	20 1/2	21 3/8	RM2351, RM2354	29 3/4	20 1/2	21 3/8
RM45, 46, 47	31 1/4	21 7/8	23 5/8	RM2351, 2354 RM2410	29 3/4 32 7/16	20 1/2 21 13/16	21 3/8 24
RM460, 461, 2400, RM2401, 2410	32 7/16	21 13/16	24	RM2410	32 7/16	21 13/16	24
RB2195	20 7/8	18	20	NO COMPRESSOR REPLACEMENT			
RB2405	31 3/4	21 7/8	24	NO COMPRESSOR REPLACEMENT			
RM60, 66, 67	39 3/16	21 7/8	23 5/8	RM2510	40 5/16	21 13/16	24
RM660, 661, 663, RM2500, 2501, 2510	40 5/16	21 13/16	24	RM2510	40 5/16	21 13/16	24
RM3500, 3501	38 3/16	21 13/16	24	RM2510 (NOT AES)	40 5/16	21 13/16	24
RM760, 761, 763 RM2600, 2601, 2610	51 3/8	21 13/16	24	RM2620	49 1/2	21 3/4	24
RM2602, 2603, 2604 RM2607, 2611, 2612 RM2620, 3600, 3601 RM3604, 3607	49 9/16	21 7/8	24	RM2620	49 1/2	21 3/4	24
RM75, 76, 77	56 7/8	23 13/16	23 3/8	RM2820 RM2852", 2862", 3962", NDR1062"	55 3/8 59 15/16	23 5/8 23 11/16	24 24
RM100, 2802, 2803 RM2804, 2807, 2811 RM2812, 2820, 3800 RM3801, 3804, 3807	55 7/16	23 11/16	24	RM2820 RM2852", 2862", 3962", NDR1062"	55 3/8 59 15/16	23 5/8 23 11/16	24 24
RM1300, 1301, 1303 RM2800, 2801, 2810	57 1/2	23 13/16	23 3/4	RM2820 RM2852", 2862", 3962", NDR1062"	55 3/8 59 15/16	23 5/8 23 11/16	24 24
RM4801	62 13/16	23 13/16	24	RM2862", 3962", NDR1062IM"	59 15/16	23 11/16	24
RM4804	63	23 13/16	24	RM2862", 3962", NDR1062IM"	59 15/16	23 11/16	24
RM7030, 7130	57 1/8	32 3/4	24	NDR1402	63 3/16	32 3/4	26 1/16
S520, 530 S1521, 1531, S519	43 1/4	23 1/2	24	RM2551, 2554	42 5/8	23 11/16	24
S620, 630 S1621, S1631, S619	52 5/8	23 1/2	24	RM2652", 2662", 3762	53 3/4	23 11/16	24
S820, 830 S1821, 1831, S819	59 5/8	23 1/2	24	RM2852", 2862", 3962", NDR1062"	59 15/16	23 11/16	24
RM2452, 2453	36 9/16	23 11/16	24	2451, 2454			
RM2552, 2553	42 5/8	23 11/16	24	RM2551, 2554	42 5/8	23 11/16	24
RM2652, 2662	53 3/4	23 11/16	24	CURRENT, 3762			
RM3662, 3663	53 3/4	23 11/16	24	RM2652", 2662", 3762	53 3/4	23 11/16	24
RM2852	59 15/16	23 11/16	24	CURRENT, 3962"			
RM2862	59 15/16	23 11/16	24	CURRENT, 3962"			
NDR1062	59 15/16	23 11/16	24	CURRENT			
RM3862, 3863	59 15/15	23 11/16	24	RM2852", 3962"	59 15/16	23 11/16	24
RM3863, 4872, 4873	59 15/16	23 11/16	24	RM2852", RM2862", NDR1062", 3962"	59 15/16	23 11/16	24
RM7732, 7832	59 1/16	32 11/16	24	NDR1402	63 3/16	32 3/4	26 1/16
RM1272, 1282 NDR1272, 1282	59 1/16	36 1/2	24	NDR1402	63 3/16	32 3/4	26 1/16
NDR1492	59 1/16	36 1/2	24	NDA1402	63 11/64	32	26 1/16
RM3762	53 3/4	23 11/16	24	CURRENT			
RM3962	62 61/64	23 11/16	24	CURRENT			
RM1350	63 3/16	32 3/4	26 1/16	CURRENT			
NDR1402	63 3/16	32 3/4	26 1/16	CURRENT, RM1350	63 3/16	32 3/4	26 1/16

*RM3962 approximately 3 inches higher than 2852, 2862.

**RM2652 = DM2652, RM2662 = DM2662, RM2663 = DM2663, RM2852 = DM2852, RM2862 = DM2862,
RM3662 = DM3662, RM3663 = DISCONTINUED, RM3862 = DM3862, RM3863 = DISCONTINUED, NDR1062 = NDR1062

First and Foremost in RV Refrigeration

REPLACING A NORCOLD WITH A DOMETIC

Model #	Height	Width	Depth	Dometic Replacement Options	Height	Width	Depth
322, 333	20 5/8	17 1/2	21 1/4	RM2193	21	17 3/4	21 1/2
442, 443	30 7/8	23 1/2	24	RM2351, 2354	29 3/4	20 1/2	21 3/8
				RM2410	32 7/16	21 13/16	24
774, 874	33 1/8	22	21 3/4	RM2410	32 7/16	21 13/16	24
452, 453	42 1/4	23 5/8	24	RM2551, 2554	42 5/8	23 11/16	24
652, 653	42 1/2	23 5/8	24	RM2551, 2554	42 5/8	23 11/16	24
775	40 1/8	22	21 1/2	RM2510	40 5/16	21 13/16	24
875	40	22	21 3/4	RM2510	40 5/16	21 13/16	24
6052, 6053	43 1/4	23 1/2	24	RM2551, 2554	42 5/8	23 11/16	24
838	51 7/8	23 15/16	23 1/2	RM2652", 2662", 3762	53 3/4	23 11/16	24
462, 463, 662, 663, 641	52 7/8	23 1/2	24	RM2652", 2662", 3762	53 3/4	23 11/16	24
876	52 1/8	24	24	RM2652", 2662", 3762	53 3/4	23 11/16	24
8662	52 1/2	23 5/8	24	RM2652", 2662", 3762	53 3/4	23 11/16	24
8310	58 7/8	23 15/16	23 1/2	RM2852", 2862", 3962", NDR1062"	59 15/16	23 11/16	24
878	59	24	24	RM2852", 2862", 3962", NDR1062"	59 15/16	23 11/16	24
482, 483, 682, 683, 841	59 7/8	23 1/2	24	RM2852", 2862", 3962", NDR1062"	59 15/16	23 11/16	24
8010	59	23 7/8	24	RM2852", 2862", 3962", NDR1062"	59 15/16	23 11/16	24
8682	59 1/2	23 5/8	24	RM2852", 2862", 3962", NDR1062"	59 15/16	23 11/16	24
N260/N260.3	21	19 3/8	24	RM2193	21	17 3/4	21 1/2
N300/N300.3	29 3/4	20 1/2	21 3/8	RM2351	29 3/4	20 1/2	21 3/8
				RM2354	42 5/8	23 11/16	24
N400/N400.3	36 9/16	23 11/16	24	RM2410	32 2/16	21 13/16	24
				RM2510	40 5/16	21 13/16	24
N500/N500.3	42 5/8	23 11/16	24	RM2510	40 5/16	21 13/16	24
N510/N510.3				RM2551	42 5/8	23 11/16	24
				RM2554	42 5/8	23 11/16	24
N641/N641.3	52 7/8	29 1/2	24	RM2620	49 1/2	21 3/4	24
				RM2652, 3762	53 3/4	23 11/16	24
N841/N841.3	59 7/8	29 1/2	24	RM2820	55 3/8	23 5/8	24
				RM2852", 3962"	59 15/16	23 11/16	24
				RM2862", NDR1062"	59 15/16	23 11/16	24
1200LR/LAIM	63 1/4	32 11/16	24	NDA1402	63 3/16	32 3/4	26 1/16

REPLACING AN INSTAMATIC WITH A DOMETIC

RV-2-201	21 3/4	19 3/16	18 3/16	RM2193	21	17 3/4	21 1/2
IM-2	22 1/4	18 1/8	16 5/8	RM2193	21	17 3/4	21 1/2
RV-3-301	28 3/4	20 11/16	19 7/16	RM2351, 2354	29 3/4	20 1/2	21 3/8
IM-3	28 3/8	20 1/4	18 5/8	RM2351, 2354	29 3/4	20 1/2	21 3/8
IM-140	31 1/4	22	22 3/4	RM2410	32 7/16	21 13/16	24
IM-40	31 1/2	24	23	RM2410	32 7/16	21 13/16	24
RV-4-401	33 15/16	20 11/16	21 5/8	RM2410	32 7/16	21 13/16	24
IM-4	31	21 5/8	22 5/8	RM2410	32 7/16	21 13/16	24
RV-6-601	40 3/16	22 5/16	22 1/8	RM2510	40 5/16	21 13/16	24
IM-6	38 7/8	21 5/8	22 5/8	RM2510	40 5/16	21 13/16	24
RV-7-701	53 1/8	23 7/8	23 1/4	RM2652", 2662", 3762	53 3/4	23 11/16	24
IM-270	51 3/4	23 3/4	23 1/4	RM2652", 2662", 3762	53 3/4	23 11/16	24
IM-70	52	24	23	RM2652", 2662", 3762	53 3/4	23 11/16	24
IM-7	56 1/2	23 1/2	22 3/8	RM2820	55 3/8	23 5/8	24
IM-10	55 1/8	23 1/2	22 5/8	RM2820	55 3/8	23 5/8	24
RV-8-801	59 5/16	23 7/8	23 3/4	RM2852", 2862", 3962", NDR1062"	59 15/16	23 11/16	24

REPLACING A SIBIR WITH A DOMETIC

RV-104	30 5/16	23 1/2	23	RM2351, 2354	29 3/4	20 1/2	21 3/8
RV-106	34 3/8	23 1/2	23	RM2410	32 7/16	21 13/16	24
				RM2451, 2454	36 9/16	23 11/16	24
RV-240	34 1/8	23 1/2	23	RM2410	32 7/16	21 13/16	24
				RM2451, 2454	36 9/16	23 11/16	24
RV-108	54 3/8	23 1/2	23	RM2652", 2662", 3762	53 3/4	23 11/16	24
RV-270	54 1/16	23 1/2	23	RM2652", 2662", 3762	53 3/4	23 11/16	24
RV-110	64 3/8	23 1/2	23	RM2852", 2862", 3962", NDR1062"	59 15/16	23 11/16	24
RV-280	59	23 1/2	23	RM2852", 2862", 3962", NDR1062"	59 15/16	23 11/16	24

REPLACING A GE WITH A DOMETIC

TG-3	28 3/8	20 1/4	19 5/8	RM2351, 2354	29 3/4	20 1/2	21 3/8
TG-4	31	21 5/8	22 5/8	RM2351, 2354	29 3/4	20 1/2	21 3/8
				RM2410	32 7/16	21 13/16	24
TG-5	38 7/8	21 5/8	22 5/8	RM2410	32 7/16	21 13/16	24
				RM2510	40 5/16	21 13/16	24

*RM3962 approximately 3 inches higher than 2852, 2862.

**RM2652 = DM2652, RM2662 = DM2662, RM2663 = DM2663, RM2852 = DM2852, RM2862 = DM2862, RM3662 = DM3662, RM3663 = DISCONTINUED, RM3862 = DM3862, RM3863 = DISCONTINUED, NDR1062 = NDR1062

Microwave Ovens

1.2 cubic foot, 1100 watt* compact microwave has lift-out glass turntable and rotating ring. White or black finish, optional color-matched trim kit for built-in installation. Plugs into 15 or 20 amp, 120V AC grounded outlet.

- Touchpad controls
- 10 power levels
- Multi-stage cooking
- Plus minute feature
- One touch reheat
- Manual and auto-weight defrost
- Popcorn button
- Push release door open, child lockout
- Bright lighted interior
- 4-digit LED clock/self instruction display
- Kitchen timer
- 2-year warranty



Outside dimensions: 20 1/8"W x 12"H x 15 5/16"D
Built-in recess dimensions: 21 1/8"W x 14 1/2"H x 16 1/8"D

TRIM KITS

3109562.003B	Black
3109562.003W	White

ORDER NO.

CDMW12B	Black
CDMW12W	White

*IEC 60705 rating standard output

Portable Freezer/Refrigerators

Dometic has a full line of premium portable freezers/refrigerators.

- Capacity up to 3.77 cu. ft.
- Models hold up to 144 – 12 oz. cans
- Interior light
- Removable wire basket
- LED indicators and soft-touch operating panel
- Quiet operation
- High impact, weather-resistant polypropylene cabinet
- Three-stage battery
- Superior Danfoss compressor
- 2-year warranty
- Temperature read out



CF-18

.7 cubic foot capacity
Holds 23 – 12 oz. cans
18" L x 16" H x 12" W – 27 lbs.



CF-25

.9 cubic foot capacity
Holds 27 – 12 oz. cans
21.7" L x 16.7" H x 10.2" W – 26.5 lbs.



CF-35

1.1 cubic foot capacity
Holds 41 – 12 oz. cans
22.8" L x 15" H x 14" W – 33 lbs.



CF-40

1.2 cubic foot capacity
Holds 48 – 12 oz. cans
22.8" L x 17.5" H x 14" W – 37 lbs.



CF-50

1.7 cubic foot capacity
Holds 23 – 12 oz. cans
24.8" L x 19" H x 14" W – 44 lbs.



CF-80

2.8 cubic foot capacity
Holds 103 – 12 oz. cans
31" L x 18" H x 19.6" W – 62 lbs.



CF-110

3.77 cubic foot capacity
Holds 144 – 12 oz. cans
31" L x 22" H x 19.6" W – 73 lbs.


RV Awnings Application Chart

	Type	Fabric	Sizes	Weathershield	Hardware	Applications
Patio						
WeatherPro	Automatic	Double-sided Vinyl or Woven Acrylic	12'-21'	Metal	Black, Champagne, Polar White or Satin	Motorhomes, Fifth Wheels, Travel Trailers
9100 Power Awning	Automatic	Single-sided (Summershade) or double-sided (Shadow) Vinyl	10' -21'	Vinyl	Polar White	Fifth Wheels, Travel Trailers
9000™	Manual	Woven Acrylic	8'-25'	Metal	Universal Hardware Satin or Polar White	Motorhomes, Travel Trailers, Fifth Wheels, Mini-motorhomes, Truck Campers
9000™ Plus	Manual	Woven Acrylic	8'-25'	Metal	Universal Hardware Satin, Polar White, Black or Champagne	Motorhomes, Travel Trailers, Fifth Wheels, Mini-motorhomes, Truck Campers
8500®	Manual	Double-sided Vinyl	8'-25'	Color-coordinated or Polar White Vinyl, or Metal	Universal Hardware Satin or Polar White	Motorhomes, Travel Trailers, Fifth Wheels, Mini-motorhomes, Truck Campers
8500® Plus	Manual	Double-sided Vinyl	8'-25'	Color-coordinated or Polar White Vinyl, or Metal	Universal Hardware Satin, Polar White, Black or Champagne	Motorhomes, Travel Trailers, Fifth Wheels, Mini-motorhomes, Truck Campers
Sunchaser® II	Manual	Single-sided Vinyl	8'-25'	White Vinyl	Universal Hardware Satin, Polar White, Black or Champagne	Motorhomes, Travel Trailers, Fifth Wheels, Mini-motorhomes, Truck Campers
Case/Bag						
Horizon® II	Manual (Case)	Single-sided Vinyl	8'2" - 16'4"	Extruded Metal Case Polar White	Satin, Polar White, Black or Champagne	Straight or Curved Side Vehicles, Mini-motorhomes, Compact Trailers, Truck Campers
Trim Line®	Manual (Bag)	Single-sided Vinyl	7'-12'	Vinyl Bag Polar White	Self-contained Satin	Fold-Down Campers, Vans, Mini-camper Vans, Truck Campers
Dome Awning						
Cabana	Manual	Vinyl	7', 9', 11', 13'			Fold-Down Campers, Vans
Window						
Power Window	Automatic	Acrylic	54" to 150"	Enclosed Case	*See section for hardware color options	Motorhomes, Fifth Wheels, Travel Trailers
Elite™	Manual	Woven Acrylic	Standard 36" to 90"	Metal		Motorhomes, Fifth Wheels, Travel Trailers
			Tall 30" -156"			
Deluxe Plus™	Manual	Vinyl	30" - 144"	Metal		Motorhomes, Fifth Wheels, Travel Trailers
Door						
Oasis™ II	Manual	Woven Acrylic or White Vinyl	48" and 56" end to end of case	All Metal Case		Motorhomes, Fifth Wheels, Travel Trailers
Elite Oasis™ II	Automatic	Woven Acrylic or White Vinyl	48" and 56" end to end of case	All Metal Case		Motorhomes, Fifth Wheels, Travel Trailers
SlideTopper™						
FC	Automatic	Vinyl	66" - 198"	Metal case		Mini-motorhomes, Fifth Wheels, Travel Trailers
Elite	Automatic	Vinyl	66" - 192"	Metal		Mini-motorhomes, Fifth Wheels, Travel Trailers
Deluxe	Automatic	Vinyl	66" - 192"	Vinyl		Mini-motorhomes, Fifth Wheels, Travel Trailers


Dometic Awning Fabric Colors

Vibrant colors — durable fabrics — perfect for any RV.


VINYL SHADOW COLORS • DOUBLE SIDED




Driftwood
Color Code - GL



Fawn
Color Code - EA




Granite
Color Code - GN




Periwinkle
Color Code - FS




Sea Green
Color Code - GJ



Sky Blue
Color Code - GF



Maroon
Color Code - HF



Race Flag
Color Code - FG

ACRYLIC SHADOW COLORS



Blue
Color Code - BR



Teal
Color Code - BJ



Burgundy
Color Code - BQ



Forest Green
Color Code - CM



Sand
Color Code - BS



Black & Gray
Color Code - BT


VINYL SUMMER SHADE COLORS • SINGLE SIDED



Cranberry
Color Code - HE



Bark
Color Code - GV




Blue Steel
Color Code - GP



Flint
Color Code - GW



Meadow Green
Color Code - GS



Bamboo
Color Code - GU

For more information visit: www.Dometic.com/RV

Dometic reserves the right to make improvements or modifications without notice.

©2009 Dometic Corporation

OS2176

DRV-550/TM/3-09/6.5M


 **Dometic**
THE SIGN OF COMFORT

Product Specifications Chart

Model	Patio	Window	Dome	Door	Slideout	Vinyl Canopy Fabric	Acrylic Canopy Fabric	Single-Sided Fabric	Double-Sided Fabric	Metal Weathershield	Vinyl Weathershield	Power Hardware	Power Drop Shade	Universal Plus Hardware	Case or Box Hardware	Sizes Available	Rain Shed	Wind Sensor	Remote Control	Weight
LAO 3	●						●					●			●	18' - 24'		●	●	240 - 320 lbs.
WeatherPro	●						●		●	●		●				12' - 21'	●	●	●	110 - 132 lbs.
WeatherPro Plus	●						●		●	●		●	●			12' - 21'	●	●	●	110 - 132 lbs.
9100 Power Awning	●					●		●	●		●	●				10' - 21'				43.5 - 68.5 lbs.
9000™ Plus	●						●		●	●				●		8' - 25'	●			65 - 130 lbs.
8500™ Plus	●					●			●	●	●			●		8' - 25'	●			65 - 135 lbs.
Sunchaser® II	●					●		●			●			●		8' - 25'				54 - 90 lbs.
Horizon® II	●					●			●						●	8'2" - 16'4"				68 - 102.5 lbs.
Cabana																7', 9', 11', 13'				
Trim Line®	●					●		●								7' - 12'				18 - 29 lbs.
Power Window		●					●		●			●				48" - 156"				11.5 - 35 lbs.
Elite™		●					●		●	●						36" - 156"				8 - 33.5 lbs.
Deluxe Plus		●				●			●		●					30" - 144"				6.5 - 21.5 lbs.
Oasis™ II				●			●		●							48" & 56"				23 - 26.5 lbs.
Elite Oasis™ II				●		●	●		●			●				48" & 56"				23 - 26.5 lbs.
SlideTopper™ FC					●	●				●	●					15.65' W x 44"				25 - 65 lbs.
Elite SlideTopper™					●	●				●						15.65' W x 44"				25 - 65 lbs.
Deluxe SlideTopper™					●	●					●					15.65' W x 44"				25 - 65 lbs.


Selection Guide

WeatherPro
Metal Weathershield Only
Monochromatic




Woven acrylic or Shadow vinyl fabric

9100 Power Awning
Vinyl Weathershield
Monochromatic




Shadow vinyl fabric only

9000™/9000™ Plus **
Metal Weathershield Only




Woven acrylic fabric only

8500®/8500® Plus**
Metal or Vinyl Weathershield




Shadow vinyl fabric only

Sunchaser® II***
Vinyl Weathershield Only




Summer Shade fabric only*

Horizon® II
Box Case




Summer Shade vinyl fabric only*

Cabana
Dome Awning



White with green trim.
Waterproof Decron polyester.

Trim Line®
Bag Case



Summer Shade vinyl fabric only*

*Color pattern on top, Polar White underneath

**Monochromatic, Weathershield

***Monochromatic

WeatherPro Awnings

Designed to out-think the elements, the WeatherPro is the great-looking awning you've always wanted – with the ease and convenience of self-operation by remote control. The Wind Sensor's "smart technology" automatically closes the awning when it detects potentially dangerous wind conditions.

With just the touch of a button, from either the handy remote control or the switch mounted inside the coach, the WeatherPro extends and tensions the fabric. Another touch and it stows away securely locked for travel.



The WeatherPro's exclusive solid-state sensor has no moving parts to wear out.

- Solid-state sensor automatically closes awning after detecting sustained winds
- Wireless remote control operates patio and door awning individually
- Exclusive Knee Action Design™ allows the awning to flex in moderate wind to prevent damage
- Metal weathershield provides extra protection from elements, matches hardware finish
- Heavy-duty motor is fully contained in the roller tube, self-locks awning in travel position
- Unique spring-arm mechanism automatically releases accumulating rain water
- Fits all straight hardware applications



Single compact remote control can operate WeatherPro and your Dometic power door awning.



The wind sensor is located at the very edge of the roller tube for maximum accuracy.



Sensitivity of the wind sensor is easily adjusted from the control box.

WeatherPro Awnings

Woven Acrylic Fabric

- Shadow pattern
- Metal weathershield

FRTA

ORDER NO.	SIZE	ORDER NO.	SIZE
815[XX]12.000(X)	12'	815[XX]17.000(X)	17'
815[XX]13.000(X)	13'	815[XX]18.000(X)	18'
815[XX]14.000(X)	14'	815[XX]19.000(X)	19'
815[XX]15.000(X)	15'	815[XX]20.000(X)	20'
815[XX]16.000(X)	16'	815[XX]21.000(X)	21'

Replacement Fabrics

ORDER NO.	SIZE	ORDER NO.	SIZE
B3109893[XX].012	12'	B3109893[XX].017	17'
B3109893[XX].013	13'	B3109893[XX].018	18'
B3109893[XX].014	14'	B3109893[XX].019	19'
B3109893[XX].015	15'	B3109893[XX].020	20'
B3109893[XX].016	16'	B3109893[XX].021	21'

[XX]= Fabric Color Code

BJ= Teal Shadow **CM**= Forest Green Shadow
BR= Blue Shadow **BQ**= Burgundy Shadow
BS= Sand Shadow **BT**= Black and Gray Shadow

(X)= Weathershield Color Code

B= Polar White **S**= Satin
R= Champagne **U**= Black

Metal weathershield not included.

Replacement fabrics are not returnable.

Fabrics measure approximately 9" shorter than stated size of awning.

Note: Colors are subject to change without notice

Vinyl Fabric

- Shadow pattern
- Metal weathershield

FRTA

ORDER NO.	SIZE	ORDER NO.	SIZE
805[XX]12.000(X)	12'	805[XX]17.000(X)	17'
805[XX]13.000(X)	13'	805[XX]18.000(X)	18'
805[XX]14.000(X)	14'	805[XX]19.000(X)	19'
805[XX]15.000(X)	15'	805[XX]20.000(X)	20'
805[XX]16.000(X)	16'	805[XX]21.000(X)	21'

Replacement Fabrics

ORDER NO.	SIZE	ORDER NO.	SIZE
B3108056[XX].408	8'	B3108056[XX].417	17'
B3108056[XX].409	9'	B3108056[XX].418	18'
B3108056[XX].410	10'	B3108056[XX].419	19'
B3108056[XX].411	11'	B3108056[XX].420	20'
B3108056[XX].412	12'	B3108056[XX].421	21'
B3108056[XX].413	13'	B3108056[XX].422	22'
B3108056[XX].414	14'	B3108056[XX].423	23'
B3108056[XX].415	15'	B3108056[XX].424	24'
B3108056[XX].416	16'	B3108056[XX].425	25'

[XX]= Fabric Color Code

EA= Fawn **FG**= Race Flag **FS**= Periwinkle
GF= Sky Blue **GJ**= Sea Green **GL**= Driftwood
GN= Granite **HF**= Maroon

(X)= Weathershield Color Code

B= Polar White **S**= Satin
R= Champagne **U**= Black

Metal weathershield not included.

Replacement fabrics are not returnable.

Fabrics measure approximately 9" shorter than stated size of awning.

Note: Colors are subject to change without notice

Hardware

ORDER NO.	
8551201.400(X)	Basement model
8551202.400(X)	Standard model
8551203.400(X)	Fifth wheel model
Optional	
3108710.199	Stand off bracket kit

(X)= Hardware Color Code

B= Polar White **S**= Satin
U= Black **R**= Champagne

Control Kit

ORDER NO.
3309424.012

Contains: Control box, wind sensor, wiring harness, key fob remote control.

Note: Must have control kit for initial installation

Replacement Roller Tubes

ORDER NO.	SIZE	ORDER NO.	SIZE
3108346.008	8'	3108346.017	17'
3108346.009	9'	3108346.018	18'
3108346.010	10'	3108346.019	19'
3108346.011	11'	3108346.020	20'
3108346.012	12'	3108346.021	21'
3108346.013	13'	3108346.022	22'
3108346.014	14'	3108346.023	23'
3108346.015	15'	3108346.024	24'
3108346.016	16'	3108346.025	25'

For window awnings to match see pages 2-14.0 - 2-20.0
 For door awnings to match see page 2-21.0

9100 Power Awnings

Polar White Vinyl Weathershield

- Double-sided (Shadow)



FRTA

ORDER NO.	SIZE
915[XX]10.000B	10'
915[XX]11.000B	11'
915[XX]12.000B	12'
915[XX]13.000B	13'
915[XX]14.000B	14'
915[XX]15.000B	15'
915[XX]16.000B	16'
915[XX]17.000B	17'
915[XX]18.000B	18'
915[XX]19.000B	19'
915[XX]20.000B	20'
915[XX]21.000B	21'

(XX)= Fabric Color Code

EA = Fawn	FG = Race Flag	FM = Rodeo
FS = Periwinkle	GF = Sky Blue	GN = Granite
GJ = Sea Green	GL = Driftwood	HF = Maroon

Hardware Model

ORDER NO.	
8952001.400B	Polar White Basement
8952002.400B	Polar White Standard

Accessories

ORDER NO.	
3310455.062	Control Switch

For window awnings to match see pages 2-16.0 - 2-20.0
For door awnings to match see page 2-21.0

9000™ Plus Awnings

- Monochromatic metal weathershield*
- Acrylic Shadow pattern
- Water shed
- Universal Plus hardware

FRTA

ORDER NO.	SIZE	ORDER NO.	SIZE
821[XX]08.000(X)	8'	821[XX]17.000(X)	17'
821[XX]09.000(X)	9'	821[XX]18.000(X)	18'
821[XX]10.000(X)	10'	821[XX]19.000(X)	19'
821[XX]11.000(X)	11'	821[XX]20.000(X)	20'
821[XX]12.000(X)	12'	821[XX]21.000(X)	21'
821[XX]13.000(X)	13'	821[XX]22.000(X)	22'
821[XX]14.000(X)	14'	821[XX]23.000(X)	23'
821[XX]15.000(X)	15'	821[XX]24.000(X)	24'
821[XX]16.000(X)	16'	821[XX]25.000(X)	25'

Replacement Fabrics

ORDER NO.	SIZE	ORDER NO.	SIZE
B830314.[XX]08	8'	B830314.[XX]18	18'
B830314.[XX]09	9'	B830314.[XX]19	19'
B830314.[XX]10	10'	B830314.[XX]20	20'
B830314.[XX]11	11'	B830314.[XX]21	21'
B830314.[XX]12	12'	B830314.[XX]22	22'
B830314.[XX]13	13'	B830314.[XX]23	23'
B830314.[XX]14	14'	B830314.[XX]24	24'
B830314.[XX]15	15'	B830314.[XX]25	25'
B830314.[XX]16	16'		
B830314.[XX]17	17'		

*Does not include weathershield

Size is measured from center of arm to center of arm. Fabric will be approximately 9" shorter than stated length.

[XX]= Fabric Color Code

BJ= Teal Shadow

BR= Blue Shadow

BS= Sand Shadow

BQ= Burgundy Shadow

BT= Black & Gray Shadow

CM= Forest Green Shadow

(X)= Weathershield Color Code

B= Polar White

S= Satin

R= Champagne

U= Black

*Satin weathershield finish is standard.

For window awnings to match see page 2-14.0 - 2-15.0
For door awnings to match see page 2-21.0

Universal Plus Hardware Sets

ORDER NO.

For Straight Side Vehicles

8485000.401(X)	Tall
8485000.402(X)	Short
8485000.501(X)	Tall, Heavy-Duty
8485000.502(X)	Short, Heavy-Duty

Note: Optima Tension Rafter System included in H.D. hardware

(X)= Hardware Color Code

B= Polar White

S= Satin

R= Champagne

U= Black

Replacement Roller Tubes

ORDER NO.	SIZE	ORDER NO.	SIZE
3108346.008	8'	3108346.017	17'
3108346.009	9'	3108346.018	18'
3108346.010	10'	3108346.019	19'
3108346.011	11'	3108346.020	20'
3108346.012	12'	3108346.021	21'
3108346.013	13'	3108346.022	22'
3108346.014	14'	3108346.023	23'
3108346.015	15'	3108346.024	24'
3108346.016	16'	3108346.025	25'

Universal Plus hardware — the new standard for RV hardware

Stronger, lighter and more stylish. That describes the Universal Plus hardware on Dometic awnings. Universal Plus hardware provides superior performance with a design that is endowed with **exceptional strength and durability**. Dometic engineers crafted a U-shaped arm that carries a weighted load better than any other design. In addition it distributes weight more evenly – and that means a **longer lasting awning** and more relaxed family centered RV experiences.

And, to make a good product even better, Dometic added the **rain shed** feature with a unique piston arm that automatically drains water from the awning. Dometic awnings — **stylish good looks** plus premium features to compliment any RV.

Dometic – it's in our nature to produce great products that make the RV experience even better.

9000™ Awnings

Satin Metal Weathershield*

- Acrylic shadow pattern

FRTA

ORDER NO.	SIZE	ORDER NO.	SIZE
839[XX]08B-(X)	8'	839[XX]17B-(X)	17'
839[XX]09B-(X)	9'	839[XX]18B-(X)	18'
839[XX]10B-(X)	10'	839[XX]19B-(X)	19'
839[XX]11B-(X)	11'	839[XX]20B-(X)	20'
839[XX]12B-(X)	12'	839[XX]21B-(X)	21'
839[XX]13B-(X)	13'	839[XX]22B-(X)	22'
839[XX]14B-(X)	14'	839[XX]23B-(X)	23'
839[XX]15B-(X)	15'	839[XX]24B-(X)	24'
839[XX]16B-(X)	16'	839[XX]25B-(X)	25'

*Satin weathershield finish is standard. Replace (X) with -B for Polar White.

Replacement Fabrics*

ORDER NO.	SIZE	ORDER NO.	SIZE
B830314.[XX]08	8'	B830314.[XX]18	18'
B830314.[XX]09	9'	B830314.[XX]19	19'
B830314.[XX]10	10'	B830314.[XX]20	20'
B830314.[XX]11	11'	B830314.[XX]21	21'
B830314.[XX]12	12'	B830314.[XX]22	22'
B830314.[XX]13	13'	B830314.[XX]23	23'
B830314.[XX]14	14'	B830314.[XX]24	24'
B830314.[XX]15	15'	B830314.[XX]25	25'
B830314.[XX]16	16'		
B830314.[XX]17	17'		

*Does not include Weathershield

[XX]= Fabric Color Code

BJ= Teal Shadow

BR= Blue Shadow

BS= Sand Shadow

BQ= Burgundy Shadow

BT= Black & Gray Shadow

CM= Forest Green Shadow

Size is measured from center of arm to center of arm. Fabric will be approximately 9" shorter than stated length.

For window awnings to match see page 2-14.0 - 2-15.0
For door awnings to match see page 2-21.0

Universal Hardware Sets

ORDER NO.

For Straight Side Vehicles

8483000.001	Tall, Satin
8483000.002	Short, Satin
8483000.101	Tall, Satin, Heavy-Duty
8483000.102	Short, Satin, Heavy-Duty
8483000.401(X)	Tall
8483000.402(X)	Short
8483000.501(X)	Tall, Heavy-Duty
8483000.502(X)	Short, Heavy-Duty

For Curved Side Vehicles

838100D0(X)	Std Curved Arms
-------------	-----------------

Note: Optima Tension Rafter System included in H.D. hardware

(X)= Finish Color Code

B= Polar White

Replacement Roller Tubes

ORDER NO.	SIZE
3108346.008	8'
3108346.009	9'
3108346.010	10'
3108346.011	11'
3108346.012	12'
3108346.013	13'
3108346.014	14'
3108346.015	15'
3108346.016	16'
3108346.017	17'
3108346.018	18'
3108346.019	19'
3108346.020	20'
3108346.021	21'
3108346.022	22'
3108346.023	23'
3108346.024	24'
3108346.025	25'

8500® Plus Awnings

Vinyl Weathershield

- Monochromatic
- Shadow pattern

FRTA

ORDER NO.	SIZE	ORDER NO.	SIZE
801[XX]08.400(X)	8'	801[XX]17.400(X)	17'
801[XX]09.400(X)	9'	801[XX]18.400(X)	18'
801[XX]10.400(X)	10'	801[XX]19.400(X)	19'
801[XX]11.400(X)	11'	801[XX]20.400(X)	20'
801[XX]12.400(X)	12'	801[XX]21.400(X)	21'
801[XX]13.400(X)	13'	801[XX]22.400(X)	22'
801[XX]14.400(X)	14'	801[XX]23.400(X)	23'
801[XX]15.400(X)	15'	801[XX]24.400(X)	24'
801[XX]16.400(X)	16'	801[XX]25.400(X)	25'

Replacement Fabrics

ORDER NO.	SIZE	ORDER NO.	SIZE
B3108049[XX].408	8'	B3108049[XX].417	17'
B3108049[XX].409	9'	B3108049[XX].418	18'
B3108049[XX].410	10'	B3108049[XX].419	19'
B3108049[XX].411	11'	B3108049[XX].420	20'
B3108049[XX].412	12'	B3108049[XX].421	21'
B3108049[XX].413	13'	B3108049[XX].422	22'
B3108049[XX].414	14'	B3108049[XX].423	23'
B3108049[XX].415	15'	B3108049[XX].424	24'
B3108049[XX].416	16'	B3108049[XX].425	25'

**Use B3108049[XX].508 through .525 for color matched vinyl weathershield

[XX]= Fabric Color Code

EA= Fawn	FG= Race Flag	FM= Rodeo
FS= Periwinkle	GF= Sky Blue	GN= Granite
GJ= Sea Green	GL= Driftwood	HF= Maroon

(X)= Hardware Color Code

B= Polar White	S= Satin
R= Champagne	U= Black

*For color-coordinated vinyl weathershield, use .500 in place of .400 above.

Metal Weathershield

- Monochromatic
- Shadow pattern

FRTA

ORDER NO.	SIZE	ORDER NO.	SIZE
811[XX]08.400(X)	8'	811[XX]17.400(X)	17'
811[XX]09.400(X)	9'	811[XX]18.400(X)	18'
811[XX]10.400(X)	10'	811[XX]19.400(X)	19'
811[XX]11.400(X)	11'	811[XX]20.400(X)	20'
811[XX]12.400(X)	12'	811[XX]21.400(X)	21'
811[XX]13.400(X)	13'	811[XX]22.400(X)	22'
811[XX]14.400(X)	14'	811[XX]23.400(X)	23'
811[XX]15.400(X)	15'	811[XX]24.400(X)	24'
811[XX]16.400(X)	16'	811[XX]25.400(X)	25'

Note: Model/serial numbers located on roller tube adjacent to cam lock end

Note: End caps and top castings have gray finish

Replacement Fabrics

ORDER NO.	SIZE	ORDER NO.	SIZE
B3108056[XX].408	8'	B3108056[XX].417	17'
B3108056[XX].409	9'	B3108056[XX].418	18'
B3108056[XX].410	10'	B3108056[XX].419	19'
B3108056[XX].411	11'	B3108056[XX].420	20'
B3108056[XX].412	12'	B3108056[XX].421	21'
B3108056[XX].413	13'	B3108056[XX].422	22'
B3108056[XX].414	14'	B3108056[XX].423	23'
B3108056[XX].415	15'	B3108056[XX].424	24'
B3108056[XX].416	16'	B3108056[XX].425	25'

**Use B3108049[XX].508 through .525 for color matched vinyl weathershield

[XX]= Fabric Color Code

EA= Fawn	FG= Race Flag	FM= Rodeo
FS= Periwinkle	GF= Sky Blue	GN= Granite
GJ= Sea Green	GL= Driftwood	HF= Maroon

(X)= Hardware Color Code

B= Polar White	S= Satin
R= Champagne	U= Black

Universal Plus Hardware Sets

ORDER NO.

For Straight Side Vehicles

8485000.401(X)	Tall
8485000.402(X)	Short
8485000.501(X)*	Tall (Heavy-duty)
8485000.502(X)*	Short (Heavy-duty)

Note: Optima Tension Rafter System included in H.D. hardware

(X)= Hardware Color Code

B= Polar White	S= Satin
R= Champagne	U= Black

Replacement Roller Tubes

ORDER NO.	SIZE	ORDER NO.	SIZE
3108346.008	8'	3108346.017	17'
3108346.009	9'	3108346.018	18'
3108346.010	10'	3108346.019	19'
3108346.011	11'	3108346.020	20'
3108346.012	12'	3108346.021	21'
3108346.013	13'	3108346.022	22'
3108346.014	14'	3108346.023	23'
3108346.015	15'	3108346.024	24'
3108346.016	16'	3108346.025	25'

For window awnings to match see page 2-16.0 - 2-18.0
For door awnings to match see page 2-21.0

8500® Awnings

Vinyl Weathershield

- Shadow pattern

FRTA*

ORDER NO.	SIZE	ORDER NO.	SIZE
848[XX]08.400	8'	848[XX]17.400	17'
848[XX]09.400	9'	848[XX]18.400	18'
848[XX]10.400	10'	848[XX]19.400	19'
848[XX]11.400	11'	848[XX]20.400	20'
848[XX]12.400	12'	848[XX]21.400	21'
848[XX]13.400	13'	848[XX]22.400	22'
848[XX]14.400	14'	848[XX]23.400	23'
848[XX]15.400	15'	848[XX]24.400	24'
848[XX]16.400	16'	848[XX]25.400	25'

Replacement Fabrics

ORDER NO.	SIZE	ORDER NO.	SIZE
B3108049[XX].408	8'	B3108049[XX].417	17'
B3108049[XX].409	9'	B3108049[XX].418	18'
B3108049[XX].410	10'	B3108049[XX].419	19'
B3108049[XX].411	11'	B3108049[XX].420	20'
B3108049[XX].412	12'	B3108049[XX].421	21'
B3108049[XX].413	13'	B3108049[XX].422	22'
B3108049[XX].414	14'	B3108049[XX].423	23'
B3108049[XX].415	15'	B3108049[XX].424	24'
B3108049[XX].416	16'	B3108049[XX].425	25'

[XX]= Fabric Color Code

EA= Fawn FG= Race Flag FM= Rodeo
 FS= Periwinkle EA= Sky Blue GN= Granite
 GJ= Sea Green GL= Driftwood HF= Maroon

*For color-coordinated vinyl weathershield, use .500 in place of .400 above.

Size is measured from center of arm to center of arm. Fabric will be approximately 9" shorter than stated length.

Metal Weathershield

- Shadow pattern

FRTA*

ORDER NO.	SIZE	ORDER NO.	SIZE
858[XX]08-(X)	8'	858[XX]17-(X)	17'
858[XX]09-(X)	9'	858[XX]18-(X)	18'
858[XX]10-(X)	10'	858[XX]19-(X)	19'
858[XX]11-(X)	11'	858[XX]20-(X)	20'
858[XX]12-(X)	12'	858[XX]21-(X)	21'
858[XX]13-(X)	13'	858[XX]22-(X)	22'
858[XX]14-(X)	14'	858[XX]23-(X)	23'
858[XX]15-(X)	15'	858[XX]24-(X)	24'
858[XX]16-(X)	16'	858[XX]25-(X)	25'

*Satin weathershield is standard

Replacement Fabrics

ORDER NO.	SIZE	ORDER NO.	SIZE
B3108056[XX].408	8'	B3108056[XX].417	17'
B3108056[XX].409	9'	B3108056[XX].418	18'
B3108056[XX].410	10'	B3108056[XX].419	19'
B3108056[XX].411	11'	B3108056[XX].420	20'
B3108056[XX].412	12'	B3108056[XX].421	21'
B3108056[XX].413	13'	B3108056[XX].422	22'
B3108056[XX].414	14'	B3108056[XX].423	23'
B3108056[XX].415	15'	B3108056[XX].424	24'
B3108056[XX].416	16'	B3108056[XX].425	25'

[XX]= Fabric Color Code

EA= Fawn FG= Race Flag FM= Rodeo
 FS= Periwinkle EA= Sky Blue GN= Granite
 GJ= Sea Green GL= Driftwood HF= Maroon

(X)= Weathershield Color Code

Blank for Satin B= Polar White

Metal weathershield not included with non returnable replacement fabrics.

Universal Hardware Sets

ORDER NO.

For Straight Side Vehicles

8483000.001	Tall	8483000.402(X)	Short
8483000.002	Short	8483000.501(X) Tall, Heavy-Duty	
8483000.102	Tall, Heavy-Duty	8483000.502(X) Short, Heavy-Duty	
8483000.101	Short, Heavy-Duty		
8483000.401(X)	Tall		

For Curved Side Vehicles

838100D0(X) Std Curved Arms

(X)= Hardware Color Code

B= Polar White

Note: Optima Tension Rafter System included in H.D. hardware

Replacement Roller Tubes

ORDER NO.	SIZE	ORDER NO.	SIZE
3108346.008	8'	3108346.017	17'
3108346.009	9'	3108346.018	18'
3108346.010	10'	3108346.019	19'
3108346.011	11'	3108346.020	20'
3108346.012	12'	3108346.021	21'
3108346.013	13'	3108346.022	22'
3108346.014	14'	3108346.023	23'
3108346.015	15'	3108346.024	24'
3108346.016	16'	3108346.025	25'

For window awnings to match see page 2-16.0 - 2-20.0
 For door awnings to match see page 2-21.0

Sunchaser® II Awnings

- Polar White vinyl weathershield
- Horizon pattern
- Monochromatic
- Sunchaser II hardware

FRTA

ORDER NO.	SIZE
802[XX]08.400(X)	8'
802[XX]09.400(X)	9'
802[XX]10.400(X)	10'
802[XX]11.400(X)	11'
802[XX]12.400(X)	12'
802[XX]13.400(X)	13'
802[XX]14.400(X)	14'
802[XX]15.400(X)	15'
802[XX]16.400(X)	16'
802[XX]17.400(X)	17'
802[XX]18.400(X)	18'
802[XX]19.400(X)	19'
802[XX]20.400(X)	20'
802[XX]21.400(X)	21'

[XX]= Fabric Color Code

GP= Blue Steel GV= Bark GW= Flint
HE= Cranberry GS= Meadow Green FG= Race Flag
FM= Rodeo

(X)= Weathershield Color Code

B= Polar White S= Satin
R= Champagne U= Black

Replacement Fabric

ORDER NO.	SIZE
B3105699[XX].080	8'
B3105699[XX].098	9'
B3105699[XX].106	10'
B3105699[XX].114	11'
B3105699[XX].122	12'
B3105699[XX].130	13'
B3105699[XX].148	14'
B3105699[XX].155	15'
B3105699[XX].163	16'
B3105699[XX].171	17'
B3105699[XX].189	18'
B3105699[XX].197	19'
B3105699[XX].205	20'
B3105699[XX].213	21'

[XX]= Fabric Color Code

GP= Blue Steel GV= Bark GW= Flint
HE= Cranberry GS= Meadow Green FG= Race Flag
FM= Rodeo

Hardware Sets

ORDER NO.

8275000.401[X]	74" to 88" tall hardware Polar White
8275000.402[X]	64" to 76" use short hardware Polar White

[X]= Hardware Color Code

B= Polar White R= Champagne S= Satin U= Black

Replacement Roller Tubes

ORDER NO.	SIZE
3108346.008	8'
3108346.009	9'
3108346.010	10'
3108346.011	11'
3108346.012	12'
3108346.013	13'
3108346.014	14'
3108346.015	15'
3108346.016	16'
3108346.017	17'
3108346.018	18'
3108346.019	19'
3108346.020	20'
3108346.021	21'
3108346.022	22'
3108346.023	23'
3108346.024	24'
3108346.025	25'

Companion Accessories:

- Patty O'Room...2-26.0
- Patty O'Mat...2-26.0
- Patty O'Shade...2-26.0


Note: Model/serial numbers located on roller tube adjacent to cam lock end
See page 2-2.0 for color chart

For window awnings to match see page 2-16.0 - 2-20.0
For door awnings to match see page 2-21.0

Cabana | Horizon® II | Trim Line®

Cabana Lightweight Dome Awning

- Double the living space – porch, privacy/screen room or breezeway
- Self contained RV dome awning
- Widths of 7', 9', 11', 13'
- 8' projection give flexibility to fit any RVer need and desire
- High domed ceiling provides ample headroom
- Heavy-duty, waterproof and fire retardant fabric
- Ground Guard 500 denier waterproof vinyl keeps the ground dry and withstands foot traffic and patio furniture
- Screen mesh panels and extra-tall wheel well skirt provide 360° protection from insects
- Roll-up shades and side doors give added privacy
- Stows on exterior of the RV, freeing up interior storage space




Cabana Domed Awning

ORDER NO.	SIZE	ORDER NO.	SIZE
747GRN07.000	7'	747GRN11.000	11'
747GRN09.000	9'	747GRN13.000	13'

White with green trim.

Horizon II Case Awning

- Shadow vinyl
- Lateral arm support
- Metal case
- Color options
- Crankout operation
- Polar White underneath



Case Dimensions:

Length = End cap to end cap, Height: 5 1/2", Depth: 3 1/2"

Horizon II Awning Case

ORDER NO.	SIZE	ORDER NO.	SIZE
920[XX]08.020(X)	2.5m(98.5")	920[XX]13.020(X)	4.0m(158")
920[XX]10.020(X)	3.0m(118.25")	920[XX]15.020(X)	4.5m(177.5")
920[XX]12.020(X)	3.5m(138")	920[XX]16.020(X)	5.0m(196.62")

[XX]= Fabric Color Code

GF= Sky Blue

GJ= Sea Green

GL= Driftwood

GN= Granite

HF= Maroon

(X)= Case Color Code

B= Polar White

R= Champagne

S= Satin

U= Black

Note: Model and serial numbers located inside lead rail, open awning to read

Trim Line Bag Awning

- Polycord sewn in – bag slides into awning rail
- All parts stow in zippered bag
- Adjustable support poles
- Spring-loaded tension rafters
- 7-foot extension
- Length = end of bag to end of bag
- New click lock poles

ORDER NO.	SIZE	ORDER NO.	SIZE
944[XX]07.002	7'	944[XX]10.002	10'
944[XX]08.002	8'	944[XX]11.002	11'
944[XX]09.002	9'	944[XX]12.002	12'

[XX]= Fabric Color Code

GP= Blue Steel

GV= Bark


GW= Flint

GS= Meadow Green

HE= Cranberry

Trim Line Screen Room with Privacy Panels

- Screen Room – order separately
- Attaches with Velcro®*
- Available in sizes to fit all Trim Line awnings
- Folds up to store in its own durable pouch



ORDER NO.	SIZE	ORDER NO.	SIZE
947207.009	7'	947210.009	10'
947208.009	8'	947211.009	11'
947209.009	9'	947212.009	12'

*Contact the RV manufacturer if zippered panels are required

Elite™ Window Awnings

Standard, Monochromatic

- Acrylic fabric
- Metal weathershield

FRTA

ORDER NO.	SIZE	ORDER NO.	SIZE
85062[XX].030-(X)	30"	85062[XX].090-(X)	90"
85062[XX].036-(X)	36"	85062[XX].096-(X)	96"
85062[XX].042-(X)	42"	85062[XX].108-(X)	108"
85062[XX].048-(X)	48"	85062[XX].114-(X)	114"
85062[XX].054-(X)	54"	85062[XX].120-(X)	120"
85062[XX].060-(X)	60"	85062[XX].132-(X)	132"
85062[XX].066-(X)	66"	85062[XX].138-(X)	138"
85062[XX].072-(X)	72"	85062[XX].144-(X)	144"
85062[XX].078-(X)	78"	85062[XX].156-(X)	156"
85062[XX].084-(X)	84"		

Hardware

Mounting bracket color matches arms

Standard Height, 18" Arms

ORDER NO.	SIZE	ORDER NO.	SIZE
832657.300S	Satin Finish	832657.300R	Champagne
832657.300B	Polar White	832657.300U	Black

Replacement Fabric

Acrylic fabric only*

ORDER NO.	SIZE	ORDER NO.	SIZE
B83037[XX].030	30"	B83037[XX].090	90"
B83037[XX].036	36"	B83037[XX].096	96"
B83037[XX].042	42"	B83037[XX].108	108"
B83037[XX].048	48"	B83037[XX].114	114"
B83037[XX].054	54"	B83037[XX].120	120"
B83037[XX].060	60"	B83037[XX].132	132"
B83037[XX].066	66"	B83037[XX].138	138"
B83037[XX].072	72"	B83037[XX].144	144"
B83037[XX].078	78"	B83037[XX].156	156"
B83037[XX].084	84"		

*Does not include metal weathershield

[XX]= Fabric Color Code

BJ= Teal Shadow BR= Blue CM= Forest Green
BS= Sand BQ= Burgundy BT= Black/Grey

(X)= Weathershield Color Code

B= Polar White S= Satin
R= Champagne U= Black

Standard, Contrasting

- Acrylic fabric
- Metal weathershield

FRTA

ORDER NO.	SIZE	ORDER NO.	SIZE
85060[XX].030-(X)	30"	85060[XX].090-(X)	90"
85060[XX].036-(X)	36"	85060[XX].096-(X)	96"
85060[XX].042-(X)	42"	85060[XX].108-(X)	108"
85060[XX].048-(X)	48"	85060[XX].114-(X)	114"
85060[XX].054-(X)	54"	85060[XX].120-(X)	120"
85060[XX].060-(X)	60"	85060[XX].132-(X)	132"
85060[XX].066-(X)	66"	85060[XX].138-(X)	138"
85060[XX].072-(X)	72"	85060[XX].144-(X)	144"
85060[XX].078-(X)	78"	85060[XX].156-(X)	156"
85060[XX].084-(X)	84"		

Hardware

Hardware part colors are contrasting

Standard Height, 18" Arms

ORDER NO.	SIZE
830657.300S	Satin Finish
830657.300B	Polar White

Replacement Fabric

Acrylic fabric only*

ORDER NO.	SIZE	ORDER NO.	SIZE
B83037[XX].030	30"	B83037[XX].090	90"
B83037[XX].036	36"	B83037[XX].096	96"
B83037[XX].042	42"	B83037[XX].108	108"
B83037[XX].048	48"	B83037[XX].114	114"
B83037[XX].054	54"	B83037[XX].120	120"
B83037[XX].060	60"	B83037[XX].132	132"
B83037[XX].066	66"	B83037[XX].138	138"
B83037[XX].072	72"	B83037[XX].144	144"
B83037[XX].078	78"	B83037[XX].156	156"
B83037[XX].084	84"		

*Does not include metal weathershield

[XX]= Fabric Color Code

BJ= Teal Shadow BR= Blue CM= Forest Green
BS= Sand BQ= Burgundy BT= Black/Grey

(X)= Weathershield Color Code

B= Polar White S= Satin

Elite™ Window Awnings

Tall, Monochromatic

- Acrylic fabric
- Metal weathershield

FRTA

Acrylic fabric with Satin metal weathershield

ORDER NO.	SIZE	ORDER NO.	SIZE
85162[XX].036-(X)	36"	85162[XX].072-(X)	72"
85162[XX].042-(X)	42"	85162[XX].078-(X)	78"
85162[XX].048-(X)	48"	85162[XX].084-(X)	84"
85162[XX].054-(X)	54"	85162[XX].090-(X)	90"
85162[XX].060-(X)	60"		
85162[XX].066-(X)	66"		

Hardware

Mounting bracket color matches arms

30" Arms

ORDER NO.		ORDER NO.	
833657.300S	Satin Finish	833657.300R	Champagne
833657.300B	Polar White	833657.300U	Black

Replacement Fabric

Acrylic fabric only*

ORDER NO.	SIZE	ORDER NO.	SIZE
B3109159[XX].036	36"	B3109159[XX].066	66"
B3109159[XX].042	42"	B3109159[XX].072	72"
B3109159[XX].048	48"	B3109159[XX].078	78"
B3109159[XX].054	54"	B3109159[XX].084	84"
B3109159[XX].060	60"	B3109159[XX].090	90"

*Does not include metal weathershield

[XX]= Fabric Color Code

BJ= Teal Shadow **BR**= Blue **CM**= Forest Green
BS= Sand **BQ**= Burgundy **BT**= Black/Grey

(X)= Weathershield Color Code

B= Polar White **S**= Satin
R= Champagne **U**= Black

Tall, Contrasting

- Acrylic fabric
- Metal weathershield

FRTA

Acrylic fabric with Satin metal weathershield

ORDER NO.	SIZE
85160[XX].060-(X)	60"
85160[XX].066-(X)	66"
85160[XX].072-(X)	72"

Hardware

Hardware part colors are contrasting

30" Arms

ORDER NO.	
831657.300S	Satin Finish
831657.300B	Polar White

Replacement Fabric

Acrylic fabric only*

ORDER NO.	SIZE	ORDER NO.	SIZE
B3109159[XX].036	36"	B3109159[XX].066	66"
B3109159[XX].042	42"	B3109159[XX].072	72"
B3109159[XX].048	48"	B3109159[XX].078	78"
B3109159[XX].054	54"	B3109159[XX].084	84"
B3109159[XX].060	60"	B3109159[XX].090	90"

*Does not include metal weathershield

[XX]= Fabric Color Code

BJ= Teal Shadow **BR**= Blue **CM**= Forest Green
BS= Sand **BQ**= Burgundy **BT**= Black/Grey

(X)= Weathershield Color Code

B= Polar White **S**= Satin

Deluxe Plus™ Window Awnings

Standard, Monochromatic

- Metal weathershield

FRTA

ORDER NO.	SIZE	ORDER NO.	SIZE
86073[XX].030-(X)	30"	86073[XX].078-(X)	78"
86073[XX].036-(X)	36"	86073[XX].084-(X)	84"
86073[XX].042-(X)	42"	86073[XX].090-(X)	90"
86073[XX].048-(X)	48"	86073[XX].096-(X)	96"
86073[XX].054-(X)	54"	86073[XX].108-(X)	108"
86073[XX].060-(X)	60"	86073[XX].120-(X)	120"
86073[XX].066-(X)	66"	86073[XX].132-(X)	132"
86073[XX].072-(X)	72"	86073[XX].144-(X)	144"

Hardware

Hardware part colors are contrasting

18" Arms

ORDER NO.

832657.300S	Satin Finish
832657.300B	Polar White
832657.300R	Champagne
832657.300U	Black

Replacement Fabric

ORDER NO.	SIZE	ORDER NO.	SIZE
B3108057[XX].030	30"	B3108057[XX].090	90"
B3108057[XX].036	36"	B3108057[XX].096	96"
B3108057[XX].042	42"	B3108057[XX].108	108"
B3108057[XX].048	48"	B3108057[XX].114	114"
B3108057[XX].054	54"	B3108057[XX].120	120"
B3108057[XX].060	60"	B3108057[XX].132	132"
B3108057[XX].066	66"	B3108057[XX].142	142"
B3108057[XX].072	72"	B3108057[XX].144	144"
B3108057[XX].078	78"	B3108057[XX].156	156"
B3108057[XX].084	84"		

[XX]= Fabric Color Code

EA= Fawn

FS= Periwinkle

GF= Sky Blue

GN= Granite

GJ= Sea Green

GL= Driftwood

HF= Maroon

(X)= Weathershield Color Code

B= Polar White

S= Satin

U= Black

R= Champagne

Replacement fabrics are not returnable.

Standard, Contrasting

- Metal weathershield

FRTA

ORDER NO.	SIZE	ORDER NO.	SIZE
86074[XX].030(X)	30"	86074[XX].078(X)	78"
86074[XX].036(X)	36"	86074[XX].084(X)	84"
86074[XX].042(X)	42"	86074[XX].090(X)	90"
86074[XX].048(X)	48"	86074[XX].096(X)	96"
86074[XX].054(X)	54"	86074[XX].108(X)	108"
86074[XX].060(X)	60"	86074[XX].120(X)	120"
86074[XX].066(X)	66"	86074[XX].132(X)	132"
86074[XX].072(X)	72"	86074[XX].144(X)	144"

Hardware

Hardware part colors are contrasting

ORDER NO.

830657.300S	Satin Finish
830657.300B	Polar White

Replacement Fabric

ORDER NO.	SIZE	ORDER NO.	SIZE
B3108057[XX].030	30"	B3108057[XX].090	90"
B3108057[XX].036	36"	B3108057[XX].096	96"
B3108057[XX].042	42"	B3108057[XX].108	108"
B3108057[XX].048	48"	B3108057[XX].114	114"
B3108057[XX].054	54"	B3108057[XX].120	120"
B3108057[XX].060	60"	B3108057[XX].132	132"
B3108057[XX].066	66"	B3108057[XX].142	142"
B3108057[XX].072	72"	B3108057[XX].144	144"
B3108057[XX].078	78"	B3108057[XX].156	156"
B3108057[XX].084	84"		

[XX]= Fabric Color Code

EA= Fawn

FS= Periwinkle

GF= Sky Blue

GN= Granite

GJ= Sea Green

GL= Driftwood

HF= Maroon

(X)= Weathershield Color Code

B= Polar White

S= Satin

R= Champagne

Replacement fabrics are not returnable.

Deluxe Plus™ Window Awnings

Standard, Monochromatic

- Vinyl weathershield

FRTA

ORDER NO.*	SIZE	ORDER NO.	SIZE
85074[XX].030-(X)	30"	85074[XX].090-(X)	90"
85074[XX].036-(X)	36"	85074[XX].096-(X)	96"
85074[XX].042-(X)	42"	85074[XX].108-(X)	108"
85074[XX].048-(X)	48"	85074[XX].114-(X)	114"
85074[XX].054-(X)	54"	85074[XX].120-(X)	120"
85074[XX].060-(X)	60"	85074[XX].126-(X)	126"
85074[XX].066-(X)	66"	85074[XX].132-(X)	132"
85074[XX].072-(X)	72"	85074[XX].144-(X)	144"
85074[XX].078-(X)	78"	85074[XX].156-(X)	156"
85074[XX].084-(X)	84"		

(X)= Monochromatic Color Code

B= Polar White

S= Satin

U= Black

R= Champagne

Hardware

Mounting bracket color matches arms

18" Arms

ORDER NO.

832657.300S	Satin Finish
832657.300B	Polar White
832657.300R	Champagne
832657.300U	Black

Replacement Fabric

ORDER NO.**	SIZE	ORDER NO.	SIZE
B3105194[XX].030	30"	B3105194[XX].090	90"
B3105194[XX].036	36"	B3105194[XX].096	96"
B3105194[XX].042	42"	B3105194[XX].108	108"
B3105194[XX].048	48"	B3105194[XX].114	114"
B3105194[XX].054	54"	B3105194[XX].120	120"
B3105194[XX].060	60"	B3105194[XX].132	132"
B3105194[XX].066	66"	B3105194[XX].142	142"
B3105194[XX].072	72"	B3105194[XX].144	144"
B3105194[XX].078	78"	B3105194[XX].156	156"
B3105194[XX].084	84"		

[XX]= Fabric Color Code

EA= Fawn

FS= Periwinkle

GF= Sky Blue

GN= Granite

GJ= Sea Green

GL= Driftwood

HF= Maroon

Replacement fabrics are not returnable.

*Use 85075(X).XXX for matching weathershield

**Use R83078(X).XXX for fabric to match weathershield

Standard, Contrasting

- Vinyl weathershield

FRTA

ORDER NO.*	SIZE	ORDER NO.	SIZE
85074[XX].030	30"	85074[XX].090	90"
85074[XX].036	36"	85074[XX].096	96"
85074[XX].042	42"	85074[XX].108	108"
85074[XX].048	48"	85074[XX].114	114"
85074[XX].054	54"	85074[XX].120	120"
85074[XX].060	60"	85074[XX].126	126"
85074[XX].066	66"	85074[XX].132	132"
85074[XX].072	72"	85074[XX].144	144"
85074[XX].078	78"	85074[XX].156	156"
85074[XX].084	84"		

Hardware

Mounting bracket color matches arms

ORDER NO.

830657.300S	Satin Finish
830657.300B	Polar White

Replacement Fabric

ORDER NO.**	SIZE	ORDER NO.	SIZE
B3105194[XX].030	30"	B3105194[XX].090	90"
B3105194[XX].036	36"	B3105194[XX].096	96"
B3105194[XX].042	42"	B3105194[XX].108	108"
B3105194[XX].048	48"	B3105194[XX].114	114"
B3105194[XX].054	54"	B3105194[XX].120	120"
B3105194[XX].060	60"	B3105194[XX].132	132"
B3105194[XX].066	66"	B3105194[XX].142	142"
B3105194[XX].072	72"	B3105194[XX].144	144"
B3105194[XX].078	78"	B3105194[XX].156	156"
B3105194[XX].084	84"		

[XX]= Fabric Color Code

EA= Fawn

FS= Periwinkle

GF= Sky Blue

GN= Granite

GJ= Sea Green

GL= Driftwood

HF= Maroon

Replacement fabrics are not returnable.

*Use 85075[XX].XXX for matching weathershield

**Use R83078[XX].XXX for fabric to match weathershield

Deluxe Plus™ Window Awnings

Tall*, Monochromatic

- Metal weathershield

FRTA

ORDER NO.	WIDTH	ORDER NO.	WIDTH
86173[XX].030(X)	30"	86173[XX].084(X)	84"
86173[XX].036(X)	36"	86173[XX].090(X)	90"
86173[XX].042(X)	42"	86173[XX].096(X)	96"
86173[XX].048(X)	48"	86173[XX].108(X)	108"
86173[XX].054(X)	54"	86173[XX].114(X)	114"
86173[XX].060(X)	60"	86173[XX].120(X)	120"
86173[XX].066(X)	66"	86173[XX].132(X)	132"
86173[XX].072(X)	72"	86173[XX].144(X)	144"
86173[XX].078(X)	78"	86173[XX].156(X)	156"

*Extends 18" longer than standard window awnings

Hardware

30" Arms

ORDER NO.		ORDER NO.	
833657.300S	Satin Finish	833657.300R	Champagne
833657.300B	Polar White	833657.300U	Black

Replacement Fabric*

ORDER NO.	WIDTH	ORDER NO.	WIDTH
B3109163[XX].030	30"	B3109163[XX].090	90"
B3109163[XX].036	36"	B3109163[XX].096	96"
B3109163[XX].042	42"	B3109163[XX].108	108"
B3109163[XX].048	48"	B3109163[XX].114	114"
B3109163[XX].054	54"	B3109163[XX].120	120"
B3109163[XX].060	60"	B3109163[XX].126	126"
B3109163[XX].066	66"	B3109163[XX].132	132"
B3109163[XX].072	72"	B3109163[XX].144	144"
B3109163[XX].078	78"	B3109163[XX].156	156"
B3109163[XX].084	84"		

*Does not include weathershield

[XX]= Fabric Color Code

EA= Fawn FS= Periwinkle GF= Sky Blue
 GN= Granite GJ= Sea Green GL= Driftwood
 HF= Maroon

(X)= Weathershield Color Code

B= Polar White S= Satin
 R= Champagne U= Black

Tall*, Contrasting

- Metal weathershield

FRTA

ORDER NO.	WIDTH	ORDER NO.	WIDTH
86174[XX].030	30"	86174[XX].090	90"
86174[XX].036	36"	86174[XX].096	96"
86174[XX].042	42"	86174[XX].108	108"
86174[XX].048	48"	86174[XX].114	114"
86174[XX].054	54"	86174[XX].120	120"
86174[XX].060	60"	86174[XX].126	126"
86174[XX].066	66"	86174[XX].132	132"
86174[XX].072	72"	86174[XX].144	144"
86174[XX].078	78"	86174[XX].156	156"
86174[XX].084	84"		

Satin is standard

*Extends 18" longer than standard window awnings

Hardware

30" Arms

ORDER NO.		ORDER NO.	
833657.300B	Polar White	833657.300S	Satin

Replacement Fabric*

ORDER NO.	WIDTH	ORDER NO.	WIDTH
B3109163[XX].030	30"	B3109163[XX].090	90"
B3109163[XX].036	36"	B3109163[XX].096	96"
B3109163[XX].042	42"	B3109163[XX].108	108"
B3109163[XX].048	48"	B3109163[XX].114	114"
B3109163[XX].054	54"	B3109163[XX].120	120"
B3109163[XX].060	60"	B3109163[XX].126	126"
B3109163[XX].066	66"	B3109163[XX].132	132"
B3109163[XX].072	72"	B3109163[XX].144	144"
B3109163[XX].078	78"	B3109163[XX].156	156"
B3109163[XX].084	84"		

*Does not include weathershield

[XX]= Fabric Color Code

EA= Fawn FS= Periwinkle GF= Sky Blue
 GN= Granite GJ= Sea Green GL= Driftwood
 HF= Maroon

(X)= Weathershield Color Code

B= Polar White S= Satin

Deluxe Plus™ Window Awnings

Tall*, Monochromatic

- Vinyl weathershield

FRTA

ORDER NO.	WIDTH	ORDER NO.	WIDTH
85184[XX]-.030	30"	85184[XX]-.054	54"
85184[XX]-.036	36"	85184[XX]-.060	60"
85184[XX]-.042	42"	85184[XX]-.066	66"
85184[XX]-.048	48"	85184[XX]-.072	72"

*Extends 18" longer than standard window awnings

Hardware

30" Arms

ORDER NO.		ORDER NO.	
833657.300S	Satin Finish	833657.300R	Champagne
833657.300B	Polar White	833657.300U	Black

Replacement Fabric**

ORDER NO.	WIDTH	ORDER NO.	WIDTH
B3109161[XX].030	30"	B3109161[XX].054	54"
B3109161[XX].036	36"	B3109161[XX].060	60"
B3109161[XX].042	42"	B3109161[XX].066	66"
B3109161[XX].048	48"	B3109161[XX].072	72"

**Use B83078() .030 through .144 for color matched vinyl weathershield

[XX]= Fabric Color Code

EA= Fawn FS= Periwinkle GF= Sky Blue
 GN= Granite GJ= Sea Green GL= Driftwood
 HF= Maroon

Tall*, Contrasting

- Vinyl weathershield

FRTA

ORDER NO.	SIZE	ORDER NO.	SIZE
85174[XX].030	30"	85174[XX].054	54"
85174[XX].036	36"	85174[XX].060	60"
85174[XX].042	42"	85174[XX].066	66"
85174[XX].048	48"	85174[XX].072	72"

*Extends 18" longer than standard window awnings

Hardware

30" Arms

ORDER NO.		ORDER NO.	
831657.300S	Satin Finish	831657.300B	Polar White

Replacement Fabric**

ORDER NO.	SIZE	ORDER NO.	SIZE
B3109161[XX].030	30"	B3109161[XX].054	54"
B3109161[XX].036	36"	B3109161[XX].060	60"
B3109161[XX].042	42"	B3109161[XX].066	66"
B3109161[XX].048	48"	B3109161[XX].072	72"

**Use B83078() .030 through .144 for Color Matched Vinyl weathershield

[XX]= Fabric Color Code

EA= Fawn FS= Periwinkle GF= Sky Blue
 GN= Granite GJ= Sea Green GL= Driftwood
 HF= Maroon

Power Window Awnings

- Push button ease
- Fully enclosed case
- Coordinates with all Dometic patio awnings
- Operates at full or partial extension



Solid Colors to match 9000™ or WeatherPro

Acrylic Fabric

ORDER NO.	SIZE
89000[XX].048-(X)	48"
89000[XX].054-(X)	54"
89000[XX].060-(X)	60"
89000[XX].066-(X)	66"
89000[XX].072-(X)	72"
89000[XX].078-(X)	78"
89000[XX].084-(X)	84"
89000[XX].090-(X)	90"
89000[XX].096-(X)	96"
89000[XX].102-(X)	102"
89000[XX].108-(X)	108"
89000[XX].114-(X)	114"
89000[XX].120-(X)	120"
89000[XX].126-(X)	126"
89000[XX].132-(X)	132"
89000[XX].138-(X)	138"
89000[XX].144-(X)	144"
89000[XX].156-(X)	156"

[XX]= Fabric Color Code

BJ= Teal

BR= Blue

CM= Forest Green

BQ= Burgundy

BT= Black and Green

(X)= Case Color Code

B= Polar White

U= Black

S= Satin

R= Champagne

Custom solid colors available to match LA03.

Ask your service representative for details.

(Only available in solid colors.)

Hardware

ORDER NO.	SIZE
8600001.400(X)	STD

Note: Hardware color is needed for both fabric and hardware order numbers to ensure all metal part colors match

(X)= Hardware Color Code

B= Polar White

U= Black

S= Satin


R= Champagne

Door Awnings

Elite Oasis™ II Door Awnings – Power

- 56-inch from end of case to end of case, both manual and electric
- 6 woven acrylic colors or white vinyl
- All-metal case
- Choose manual or power driven model

Depth of case:	3"
Width of case:	5"
Extension:	34"



ORDER NO.


975CQ48.010(X)	Polar White Vinyl .48"
975CQ56.010(X)	Polar White Vinyl .56"
975[XX]48.110(X)	Acrylic .48"
975[XX]56.110(X)	Acrylic .56"

[XX]= Fabric Color Code

BL= Forest Green	DA= Burgundy	EE= Linen Tweed
CD= Sapphire	DU= Teal Tweed	EK= Charcoal Gray

(X)= Case Color Code

B= Polar White	R= Champagne
S= Satin	U= Black



Oasis II Controls

ORDER NO.

3109717.003	Complete Control Box Required for Electric Awning
3109688.006	Remote Switch Assembly for WeatherPro Control Order Additionally for WeatherPro

Oasis™ II Door Awnings – Manual

Ideal for trailers and campers as well as motorhomes.

ORDER NO.

976CQ48.100(X)	Polar White Vinyl .48"
976CQ56.100(X)	Polar White Vinyl .56"
976[XX]48.110(X)	Acrylic .48"
976[XX]56.110(X)	Acrylic .56"

[XX]= Fabric Color Code

BL= Forest Green	DA= Burgundy	EE= Linen Tweed
CD= Sapphire	DU= Teal Tweed	EK= Charcoal Gray

(X)= Case Color Code

B= Polar White	R= Champagne
S= Satin	U= Black

Full Cover SlideTopper Awnings

Full cover SlideTopper vinyl fabric, monochromatic finish

ORDER NO.	SIZE
86196CQ.066-(X)	66"
86196CQ.072-(X)	72"
86196CQ.078-(X)	78"
86196CQ.084-(X)	84"
86196CQ.090-(X)	90"
86196CQ.096-(X)	96"
86196CQ.102-(X)	102"
86196CQ.108-(X)	108"
86196CQ.114-(X)	114"
86196CQ.120-(X)	120"
86196CQ.126-(X)	126"
86196CQ.132-(X)	132"
86196CQ.138-(X)	138"
86196CQ.144-(X)	144"
86196CQ.150-(X)	150"
86196CQ.156-(X)	156"
86196CQ.162-(X)	162"
86196CQ.168-(X)	168"
86196CQ.174-(X)	174"
86196CQ.180-(X)	180"
86196CQ.186-(X)	186"
86196CQ.192-(X)	192"
86196CQ.198-(X)	198"

(X)= Finish Color Code

B= Polar White

U= Black

S= Satin

R= Champagne

Hardware

ORDER NO.

3106992.062(X)	45 Degree Brackets
3106992.070(X)	90 Degree Brackets

(X)= Hardware Color Code

B= Polar White

U= Black

S= Satin

R= Champagne




Elite | Deluxe SlideTopper Awnings

How to Measure for Your SlideTopper

The Dometic SlideTopper is designed to protect the top of an RV's slideout room from weather, debris and mildew. It is not intended to be 100% waterproof, due to drips and condensation.

To determine which size of SlideTopper you require, measure your room according to the picture below and refer to the chart. The SlideTopper will not work on rooms with a full extension greater than 44".



ROOM WIDTH	RECOMMENDED SIZE	ROOM WIDTH	RECOMMENDED SIZE
56" to 61 3/4"	66"	122" to 127 3/4"	132"
62" to 67 3/4"	72"	128" to 133 3/4"	138"
68" to 73 3/4"	78"	134" to 139 3/4"	144"
74" to 79 3/4"	84"	140" to 145 3/4"	150"
80" to 85 3/4"	90"	146" to 151 3/4"	156"
86" to 91 3/4"	96"	152" to 157 3/4"	162"
92" to 97 3/4"	102"	158" to 163 3/4"	168"
98" to 103 3/4"	108"	164" to 169 3/4"	174"
104" to 109 3/4"	114"	170" to 175 3/4"	180"
110" to 115 3/4"	120"	176" to 181 3/4"	186"
116" to 121 3/4"	126"	182" to 187 3/4"	192"

For replacement: Model number (located on roller tube) or fabric size is required

Elite SlideTopper FRTA

With metal weathershield and monochromatic or contrasting metal parts, Polar White fabric color

Monochromatic

ORDER NO.	SIZE	ORDER NO.	SIZE
86096CQ.066-(X)	66"	86096CQ.132-(X)	132"
86096CQ.072-(X)	72"	86096CQ.138-(X)	138"
86096CQ.078-(X)	78"	86096CQ.144-(X)	144"
86096CQ.084-(X)	84"	86096CQ.150-(X)	150"
86096CQ.090-(X)	90"	86096CQ.156-(X)	156"
86096CQ.096-(X)	96"	86096CQ.162-(X)	162"
86096CQ.102-(X)	102"	86096CQ.168-(X)	168"
86096CQ.108-(X)	108"	86096CQ.174-(X)	174"
86096CQ.114-(X)	114"	86096CQ.180-(X)	180"
86096CQ.120-(X)	120"	86096CQ.186-(X)	186"
86096CQ.126-(X)	126"	86096CQ.192-(X)	192"

(X)= Weathershield Color Code

B= Polar White

S= Satin

U= Black

R= Champagne

Deluxe SlideTopper FRTA

With heavy-duty vinyl weathershield, Polar White fabric color

Monochromatic

ORDER NO.	SIZE	ORDER NO.	SIZE
86097CQ.066-(X)	66"	86097CQ.132-(X)	132"
86097CQ.072-(X)	72"	86097CQ.138-(X)	138"
86097CQ.078-(X)	78"	86097CQ.144-(X)	144"
86097CQ.084-(X)	84"	86097CQ.150-(X)	150"
86097CQ.090-(X)	90"	86097CQ.156-(X)	156"
86097CQ.096-(X)	96"	86097CQ.162-(X)	162"
86097CQ.102-(X)	102"	86097CQ.168-(X)	168"
86097CQ.108-(X)	108"	86097CQ.174-(X)	174"
86097CQ.114-(X)	114"	86097CQ.180-(X)	180"
86097CQ.120-(X)	120"	86097CQ.186-(X)	186"
86097CQ.126-(X)	126"	86097CQ.192-(X)	192"

(X)= Weathershield Color Code

B= Polar White

S= Satin

U= Black

R= Champagne

Hardware

ORDER NO.	SIZE
3106992.054(X)	STD

(X)= Hardware Color Code

B= Polar White

S= Satin

U= Black

R= Champagne

Elite SlideTopper Replacement Fabric

Polar White vinyl fabric only*

ORDER NO.	SIZE**	ORDER NO.	SIZE**
B3106810CQ.066	66"	B3106810CQ.138	138"
B3106810CQ.072	72"	B3106810CQ.144	144"
B3106810CQ.078	78"	B3106810CQ.150	150"
B3106810CQ.084	84"	B3106810CQ.156	156"
B3106810CQ.090	90"	B3106810CQ.162	162"
B3106810CQ.096	96"	B3106810CQ.168	168"
B3106810CQ.102	102"	B3106810CQ.174	174"
B3106810CQ.108	108"	B3106810CQ.180	180"
B3106810CQ.114	114"	B3106810CQ.186	186"
B3106810CQ.120	120"	B3106810CQ.192	192"
B3106810CQ.126	126"	B3106810CQ.198	198"
B3106810CQ.132	132"		

*Does not include weathershield

Order fabrics by awning size, not fabric size.

**Fabrics are approximately 5 inches shorter than stated awning size.

Deluxe SlideTopper Replacement Fabrics

Polar White vinyl fabric

ORDER NO.	SIZE*	ORDER NO.	SIZE*
B3106802CQ.066	66"	B3106802CQ.138	138"
B3106802CQ.072	72"	B3106802CQ.144	144"
B3106802CQ.078	78"	B3106802CQ.150	150"
B3106802CQ.084	84"	B3106802CQ.156	156"
B3106802CQ.090	90"	B3106802CQ.162	162"
B3106802CQ.096	96"	B3106802CQ.168	168"
B3106802CQ.102	102"	B3106802CQ.174	174"
B3106802CQ.108	108"	B3106802CQ.180	180"
B3106802CQ.114	114"	B3106802CQ.186	186"
B3106802CQ.120	120"	B3106802CQ.192	192"
B3106802CQ.126	126"	B3106802CQ.198	198"
B3106802CQ.132	132"		

Order fabrics by awning size, not fabric size.

*Fabrics are approximately 5 inches shorter than stated awning size.

Universal & Universal Plus Hardware Sets

Straight & Curved Side Hardware

- Straight Side Hardware is available in Satin or Polar White.
- Curved Hardware is available in Satin Aluminum only.
- A set of Universal Hardware includes Left and Right Main Arms, Rafter Arms, Adjustable Arms, Top and Bottom Brackets and all required mounting screws.
- Heavy-duty (H.D.) Hardware can be ordered for any size 9000™ or 8500™ awning but is required for awnings 22 feet long and longer.

ORDER NO. FOR 9000 AND 8500

For Straight Side Vehicles

8483000.001	Satin, Tall
8483000.002	Satin, Short
8483000.401B	Polar White, Tall
8483000.402B	Polar White, Short
8483000.101	H.D. Satin, Tall
8483000.102	H.D. Satin, Short
8483000.501B	H.D. Polar White, Tall
8483000.502B	H.D. Polar White, Short

For Curved Side Vehicles

838100D0(X)	Std Curved Arms - Satin
-------------	-------------------------

For use only with -001 and -002 straight side

Note: Optima Tension Rafter System included in H.D. hardware

ORDER NO. FOR 9000 PLUS AND 8500 PLUS

For Straight Side Vehicles

8485000.401(X)	Monochromatic, Tall
8485000.402(X)	Monochromatic, Short
8485000.501(X)	H.D. Monochromatic, Tall
8485000.502(X)	H.D. Monochromatic, Short

For use only with -001 and -002 straight side

Note: Optima Tension Rafter System included in H.D. hardware

(X)= Finish Color Code

B= Polar White

S= Satin

R= Champagne

U= Black



-001

Standard Straight Side

For all straight, flat sided RVs with Floorline to Awning Rail dimensions 76" and over.

Main Arm Length: 73"

ORDER NO.

8483000.(X)01# STR TALL

74-5/8" MIN.

88-1/8" MAX.



-002

Short Straight Side

For all straight, flat sided RVs with Floorline to Awning Rail dimensions between 69" and 76". Executive, Pioneer, Super Coach, Kings Highway, Landau, Apollo, Pace Arrow, American Clipper, Honey and others.

Main Arm Length: 61"

ORDER NO.

8483000.(X)02# STR SHORT

62-5/8" MIN.

76-1/8" MAX.



-004

Curved Roof Straight Side

For flat sided RVs with Awning Rails along curved roofs. 1986 Argosy, Superior, Avco, Blue Bird, Chinook, Newell, Revcon, Gran Slam, Travel Queen Mini (curved roof) 1984 if newer Champion Flagship and converted buses with same roof curvature.

Main Arm Length: 70"

ORDER NO.

838100D004 CURVED

72-1/4" MIN.

79" MAX.



-005

Sportscoach (with curved side) and Vacationer Mini

Main Arm Length: 76"

ORDER NO.

838100D005 CURVED

83-3/8" MIN.

85-5/8" MAX.



-006

GMC/WMC

Main Arm Length: 66"

ORDER NO.

838100D006 CURVED

73-5/8" MIN.

75-1/8" MAX.



-013

Cabana, Winnebago Warrior, Itasca Spectrum, Leocraft, Big Foot and Automate-Royal, Van Guard

Main Arm Length: 83"


ORDER NO.

838100D013 CURVED

70-1/4" MIN.

74" MAX.

Universal Hardware Sets



-014

Avion and Avion Mini
London-aire 5th Wheel

Main Arm Length: 70"

ORDER NO.

838100D014 CURVED

75-1/8" MIN.
78-7/8" MAX.



-015

Airstream and Argosy
(thru 1985)

Main Arm Length: 76"

ORDER NO.

838100D015 CURVED

75-5/8" MIN.
81-5/8" MAX.



-016

Silver Streak
(1969 and newer)
and Streamline

Main Arm Length: 76"

ORDER NO.

838100D016 CURVED

74-5/8" MIN.
81-3/8" MAX.



-017

Born Free Mini
Sunraider-Classic


Main Arm Length: 64"

ORDER NO.

838100D017 CURVED

838100D638B Polar White

71-3/8" MIN.
75-1/8" MAX.



-022


Travco Lesprit, 1979
Winnebago Travel
Trailers, Southwind
(Eagle) and Pace Arrow
(Eleganza) Winnebago
621, Itasca Sundancer
(See also -029)

Main Arm Length: 64"

ORDER NO.

838100D022 CURVED

71-5/8" MIN.
74-5/8" MAX.



-024

Chevy Trans Van,
Transmaster (GBX)
Winnebago Lesharo
and Itasca Phasar
Frontier, London-aire
Mini, Eldorado Forenza

Main Arm Length: 62-1/4"

ORDER NO.

838100D024 CURVED

64" MIN.
71-1/2" MAX.



-027

Brougham Travel Van
(‘K’, ‘R’ or ‘X’ Body Only),
Champion-Transtar and
Champion-Telstar,
Eldorado (wide body)

Main Arm Length: 61"

ORDER NO.

838100D027 CURVED

67-1/4" MIN.
71" MAX.



-029

Winnebago Elandan
(1986 and older), Itasca
Windcruiser (1986 and
older), Winnebago 621,
and Itasca Sundancer

Main Arm Length: 61"

ORDER NO.

838100D029 CURVED

71-1/4" MIN.
72" MAX.



-034

1987 and newer.
Winnebago Elandan
and Itasca Windcruiser

Main Arm Length: 59"

ORDER NO.

838100D034 CURVED

66-1/4" MIN.
70" MAX.

Optional Installation Kit

3109623.003 Stand off spacer for top bracket

3109623.550 Same as above but in quantities of 50

Patty O'Room™ | Patty O'Mat™ | Patty O'Shade™

Makes the RV patio awning into a comfortable screened-in enclosure

- Use starter kit and additional zippered panels to create any size of room
- Standard or tall height – see "How to Measure" below
- Fast, easy set-up and takedown – no tools needed*
- 2', 4' and 8' panels are available
- Super-durable nonflammable screen fabric repels moisture, dries quickly to resist mildew
- Roll-down privacy panels are sewn in
- One-year limited warranty



ORDER NO.

935000.120	Starter Kit - Standard*
935002.120	2' Panel - Standard
935004.120	4' Panel - Standard
935008.120	8' Panel - Standard
935000.130	Starter Kit - Tall*
935002.130	2' Panel - Tall
935004.130	4' Panel - Tall
935008.130	8' Panel - Tall

*Starter kit includes: One left end panel, one right end panel, one door panel, skirting, wheel-well cover, hardware kit, and zippered storage bag.

1. Standard or Tall? — How to measure:

Measure distance from ground to the vehicle's awning rail

93" to 110" = Standard Height


111" to 120" = Tall Height

2. Use this chart to determine which panels are needed:

EXISTING AWNING SIZE	REQUIRED COMPONENTS
8' & 9'	Starter + 4' panel
10' & 11'	Starter + 4' panel + 2' panel
12' & 13'	Starter + 4' panel + 4' panel
14' & 15'	Starter + 8' panel + 2' panel
16' & 17'	Starter + 8' panel + 4' panel
18' & 19'	Starter + 8' panel + 4' panel + 2' panel
20' & 21'	Starter + 8' panel + 8' panel
22' & 23'	Starter + 8' panel + 8' panel + 2' panel
24' & 25'	Starter + 8' panel + 8' panel + 4' panel

Note: One-time vehicle/awning preparation requiring tools is needed to initially install the Patty O'Room

Patty O'Mat



Ground Cover for RV Campsite


ORDER NO.	SIZE
931008.(X)50	8'
931012.(X)50	12'
931016.(X)50	16'

• 7' Width

(X)= Fabric Color Code

G= Burgundy P= Coffee
BC= Teal H= Blue

Patty O'Shade



ORDER NO.	SIZE
930010.(X)10	10'
930015.(X)10	15'

• Stakes and tie downs included

(X)= Fabric Color Code
G= Burgundy P= Coffee
H= Blue

Available in Retail Packaging

Xtend-A-Room


Expand your Sport Utility Trailer by as much as 60 square feet

After a full day of outdoor activities, nothing beats a comfortable space to kick back and relax. An Xtend-A-Room expands a trailer's living space with plenty of room to stretch out and revisit all of the day's adventures with friends and family.



- Two room sizes fit most sports utility trailers on the road today
- Easy-access ramp end opens for quick loading and unloading
- Adjustable support poles have ergonomically designed positive crimping locks to ensure proper fit
- Floor skirt tightly seals room to ramp gate without fasteners
- Quick bungee attachment keeps out wind and rain

- Front mounting poles fit into side pocket sleeves for a clean look
- Two stands support ramp and room securely
- Reinforced nylon seams withstand plenty of use
- Strong, rip-resistant fabric
- Weatherproof privacy panels add rain protection and prevent wicking
- Full-view screens provide a scenic view



Specifications

Standard

79 1/2" to 86 1/2" H x 86" D to 91" W

ORDER NO.

954086.000

Large

86 1/2" to 95 1/2" H x 91" D to 99" W

ORDER NO.

954091.000

Common Replacement Parts

Torsions

3108399.035	RH Std. Torsion for 8500/9000
3108398.029	RH HD Torsion for 8500/9000
3108399.019	LH Std. Torsion for 8500/9000
3108398.011	LH HD* Torsion for 8500/9000
3108706.171C	RH Torsion for SlideTopper Gray Castings
3108706.189C	LH Torsion for SlideTopper Gray Castings
3309468.001(X)	RH Torsion for Window Awning 78" down
3309467.003(X)	LH Torsion for Window Awning 78" down
3309464.000(X)	RH Torsion for Window Awning 84" up
3309465.007(X)	LH Torsion for Window Awning 84" up
3108709.761	RH Torsion for Sunchaser
3108709.779	LH Torsion for Sunchaser
3309932.006(X)	RH Torsion for Sunchaser II and 8500/9000 Plus
3309932.014(X)	RH Torsion for Sunchaser II and 8500/9000 Plus

*HD torsions only used on steel roller tubes 18' and longer
Aluminum tubes use standard torsions on any size
All awnings use aluminum tubes

(X)= Finish Color Code

B= Polar White **R=** Champagne
S= Satin **U=** Black

Window Awning FRTA

3109804.009	Black pull strap
3107025.003(X)	Strap hook

(X)= Finish Color Code

B= Polar White **R=** Champagne,
S= Satin **U=** Black


SlideTopper

3109252.001(X)	Anti-billowing assembly
3107198.347(X)	Spacer kit

(X)= Finish Color Code

B= Polar White **S=** Satin
R= Champagne **U=** Black

Awning Accessories | Optima Tension Rafter System



CRADLE SUPPORT KIT
No. 930061 – 1 per pkg.



AWNING PULL ROD
No. 830152.102 – 1 per pkg.

RIVET, SEMI-TUBE
1/4" x 1-1/2"
No. 143002P041
2 per pkg.

RIVET, SEMI-TUBE
3/16" x 1-1/8"
No. 143002P051
2 per pkg.

RIVET, SEMI-TUBE
1/4" x 1-3/8"
No. 143002P053
6 per pkg.

RIVET, SEMI-TUBE
1/4" x 2.56"
No. 143002P058
2 per pkg.

RIVET, SEMI-TUBE
5/16" x 2.59"
No. 143002P059
6 per pkg.

RIVET, OSCAR
3/16" x 1"
No. 113008P
6 per pkg.

RIVET, POP
3/16" x 3/8"
No. 308171P022
6 per pkg.

SLIDER ASSEMBLY
No. 830463P
1 per pkg.

SLIDER CATCH ASSEMBLY
No. 830472P002
2 per pkg.


DOOR EDGE GUARD
No. 3104745P009
1 per pkg.

PULL STRAP HANGER HOOK
No. 3107025P003
1 per pkg.


PUSH BUTTON ASSY.
No. 830023P001
2 per pkg.

LOCK PINS
No. 930024
2 per pkg.


WINDOW AWNING LOCK KIT
No. 113023.102
2 per pkg.



HANGER AWN™
No. 930037 – 7 per pkg.



COUPLER PINS
No. 930006
2 per pkg.



ROLLER ASSEMBLY
No. 930004
1 per pkg.

DELUXE HANDLE
No. 830644
1 per pkg.

PULL STRAP
No. 940001
1 per pkg.

TRAVEL LOCKS
No. 930041
2 per pkg.

SCREEN ROOM WEIGHT
No. 3105851.004
1 per pkg.

ADJUSTMENT KNOBS
No. 930008 – 2 per pkg.

Optima Tension Rafter System

- Supports and stabilizes the awning – open or closed
- Keeps canopy tensioned
- Provides ground support when the awning is in the patio position
- Easy to mount and operate
- Completely self-storing
- Fits any brand of automatic roll-up awning
- Storage cradle lifts and supports the rolled-up awning for travel



Optima Tension Rafter System Includes:

- Self-adjusting tension rafter/storage cradle
- Center ground support

Available as a complete system in one attractive package or purchase separately.

Optima

ORDER NO.

930039.000	Optima System - Satin
930042.000	Tension Rafter - Satin
930043.000	Ground Support - Satin
930039.500B	Optima System - Polar White
930042.500B	Tension Rafter - Polar White
930043.500B	Ground Support - Polar White

Optima Plus

ORDER NO.

3311062-008B	Plus Tension Rafter - Polar White
3311062-008R	Plus Tension Rafter - Champagne
3311062-008S	Plus Tension Rafter - Satin
3311062-008U	Plus Tension Rafter - Black

Replacement Fabrics

Elite 9000™

Acrylic Fabric only*

ORDER NO.	SIZE
B830314.(XX).08	8'
B830314.(XX).09	9'
B830314.(XX).10	10'
B830314.(XX).11	11'
B830314.(XX).12	12'
B830314.(XX).13	13'
B830314.(XX).14	14'
B830314.(XX).15	15'
B830314.(XX).16	16'
B830314.(XX).17	17'
B830314.(XX).18	18'
B830314.(XX).19	19'
B830314.(XX).20	20'
B830314.(XX).21	21'
B830314.(XX).22	22'
B830314.(XX).23	23'
B830314.(XX).24	24'
B830314.(XX).25	25'

*Does not include weathershield

(XX)= Fabric Color Code

BJ= Teal BQ= Burgundy BR= Blue
BS= Sand BT= Black/Gray CM= Forest Gray

8500®

With Polar White Vinyl Weathershield**

(See below for other weathershield options)

ORDER NO.	SIZE
B3108049(XX).408	8'
B3108049(XX).409	9'
B3108049(XX).410	10'
B3108049(XX).411	11'
B3108049(XX).412	12'
B3108049(XX).413	13'
B3108049(XX).414	14'
B3108049(XX).415	15'
B3108049(XX).416	16'
B3108049(XX).417	17'
B3108049(XX).418	18'
B3108049(XX).419	19'
B3108049(XX).420	20'
B3108049(XX).421	21'
B3108049(XX).422	22'
B3108049(XX).423	23'
B3108049(XX).424	24'
B3108049(XX).425	25'

**Use B3108049() .508 through .525 for color matched vinyl weathershield

Use B3108056 () .408 through .425 for fabrics that take a metal weathershield. The metal weathershield is not included with this replacement fabric.

(XX)= Fabric Color Code

EA= Fawn FG= Race Flag FS= Periwinkle
GF= Sky Blue GN= Granite GJ= Sea Green
GL= Driftwood FM= Rodeo HF= Maroon

NOTE: Fabrics are non-returnable

Sunchaser® II

Vinyl Single-sided Fabric

ORDER NO.	SIZE
B3105699(XX).080	8'
B3105699(XX).098	9'
B3105699(XX).106	10'
B3105699(XX).114	11'
B3105699(XX).122	12'
B3105699(XX).130	13'
B3105699(XX).148	14'
B3105699(XX).155	15'
B3105699(XX).163	16'
B3105699(XX).171	17'
B3105699(XX).189	18'
B3105699(XX).197	19'
B3105699(XX).205	20'
B3105699(XX).213	21'

(XX)= Fabric Color Code

GP= Blue Steel HE= Cranberry
GU= Bamboo FM= Rodeo
GW= Flint GS= Meadow Green
FG= Race Flag GV= Bark

Elite™ Window Awning

Acrylic Fabric only*

ORDER NO.	SIZE
B83037(XX).030	30"
B83037(XX).036	36"
B83037(XX).042	42"
B83037(XX).048	48"
B83037(XX).054	54"
B83037(XX).060	60"
B83037(XX).066	66"
B83037(XX).072	72"
B83037(XX).078	78"
B83037(XX).084	84"
B83037(XX).090	90"
B83037(XX).096	96"
B83037(XX).108	108"
B83037(XX).114	114"
B83037(XX).120	120"
B83037(XX).132	132"
B83037(XX).138	138"
B83037(XX).144	144"
B83037(XX).156	156"

*Does not include metal weathershield

(XX)= Fabric Colors Code

BJ= Teal BS= Sand
BQ= Burgundy BT= Black & Gray
BR= Blue CM= Forest Green

Catalina 2500

Vinyl Single-sided Fabric

ORDER NO.	SIZE
B82001(XX).025	2.5 m
B82001(XX).030	3.0 m
B82001(XX).035	3.5 m
B82001(XX).040	4.0 m

(XX)= Fabric Color Code

GP= Blue Steel HE= Cranberry
GW= Flint GS= Meadow Green
GV= Bark

Deluxe Plus™ Window Awning

Vinyl with Polar White Vinyl Weathershield**

(See below for other weathershield options)

ORDER NO.	SIZE
B3105194(XX).030	30"
B3105194(XX).036	36"
B3105194(XX).042	42"
B3105194(XX).048	48"
B3105194(XX).054	54"
B3105194(XX).060	60"
B3105194(XX).066	66"
B3105194(XX).072	72"
B3105194(XX).078	78"
B3105194(XX).084	84"
B3105194(XX).090	90"
B3105194(XX).096	96"
B3105194(XX).108	108"
B3105194(XX).120	120"
B3105194(XX).132	132"
B3105194(XX).144	144"

**Use B83078() .030 through .144 for color matched vinyl weathershield

Use B3108057() .030 through .144 for metal weathershield

(XX)= Fabric Color Code

EA= Fawn FS= Periwinkle GF= Sky Blue
GN= Granite GJ= Sea Green HF= Maroon
GL= Driftwood

Horizon® II

Vinyl Single-sided Fabric

ORDER NO.	SIZE
B877001.(XX).08	2.5 m
B877001.(XX).10	3.0 m
B877001.(XX).12	3.5 m
B877001.(XX).13	4.0 m
B877001.(XX).15	4.5 m
B877001.(XX).16	5.0 m

(XX)= Fabric Color Code

GF= Sky Blue GN= Granite
GJ= Sea Green HF= Maroon
GL= Driftwood

WeatherPro

Acrylic Fabric*

ORDER NO.	SIZE
B3109893(XX).012	12'
B3109893(XX).013	13'
B3109893(XX).014	14'
B3109893(XX).015	15'
B3109893(XX).016	16'
B3109893(XX).017	17'
B3109893(XX).018	18'
B3109893(XX).019	19'
B3109893(XX).020	20'
B3109893(XX).021	21'

*Does not include metal weathershield

(XX)= Fabric Color Code

BJ= Teal BR= Blue
BT= Black/Gray BQ= Burgundy
BS= Sand CM= Forest Green

Measure from Awning Center Arm to Center Arm

Systems Replacement Fabrics

Universal Fabrics

Vinyl Fabric

(See Note Below)

ORDER NO.	SIZE
B3311634[XX].(X)08	8'
B3311634[XX].(X)09	9'
B3311634[XX].(X)10	10'
B3311634[XX].(X)11	11'
B3311634[XX].(X)12	12'
B3311634[XX].(X)13	13'
B3311634[XX].(X)14	14'
B3311634[XX].(X)15	15'
B3311634[XX].(X)16	16'
B3311634[XX].(X)17	17'
B3311634[XX].(X)18	18'
B3311634[XX].(X)19	19'
B3311634[XX].(X)20	20'
B3311634[XX].(X)21	21'
B3311634[XX].(X)22	22'
B3311634[XX].(X)23	23'
B3311634[XX].(X)24	24'
B3311634[XX].(X)25	25'

[XX]= Fabric Color Code

EA= Fawn

FG= Race Flag

FS= Periwinkle

GF= Sky Blue

GN= Granite

GJ= Sea Green

GL= Driftwood

HF= Maroon

(X)= Weathershield Color Code

4= Polar White

5= Color-Coordinated

Note: UNIVERSAL REPLACEMENT FABRICS MAY NOT BE RETURNED. When ordering, use **FACTORY DEALER DIRECT** Replacement Awning Fabric Order Form No. OS-1589 and measure fabric edge to fabric edge carefully

Universal Replacement Fabrics (two-piece fabric)



Measure length of canopy fabric end-to-end for non-Dometic Systems awnings (Round up to nearest foot)

Universal Replacement Fabrics

Don't have a Dometic awning but want to have Dometic quality in a replacement fabric? It's not a problem. Dometic offers a full range of stylish fabrics in woven acrylic or durable vinyl to match your current hardware. Keep your hardware but refresh or repair your fabric with genuine Dometic replacement awning fabrics.

We can create the perfect replacement fabric for your RV. See page 2-33.0 for instructions about measuring your awning for replacement.

Order Form – Vinyl Replacement Awning Fabrics

Genuine Dometic Vinyl Awning Fabric

- Rich, vibrant Summer Shade color on fabric top and bottom
- Polyester reinforced for added strength and dimensional stability
- Acrylic coated for scratch, fade and stain resistance

PLEASE be sure all information is correct. All replacement canopy orders are custom, non-cancelable and non-returnable!
To assure your instructions have been followed, a copy of your order will be returned with your new canopy.

- When completed fax to (574) 294-8628

1. Color

Check (one) color choice and
(one) weathershield choice

	MATCHING	POLAR WHITE
Fawn (EA)	<input type="checkbox"/>	<input type="checkbox"/>
Periwinkle (FS)	<input type="checkbox"/>	<input type="checkbox"/>
Maroon (HF)	<input type="checkbox"/>	<input type="checkbox"/>
Driftwood (GL)	<input type="checkbox"/>	<input type="checkbox"/>
Sea Green (GJ)	<input type="checkbox"/>	<input type="checkbox"/>
Race Flag (FG)	<input type="checkbox"/>	<input type="checkbox"/>
Sky Blue (GF)	<input type="checkbox"/>	<input type="checkbox"/>
Granite (GN)	<input type="checkbox"/>	<input type="checkbox"/>

Ship To: Please print

Customer Name

()

Phone

Street Address

City

State

Zip Code

2. Brand of RV Awning

Model number _____

Length (ft) _____

Replacement canopies for most Dometic Brand Awnings are one piece.


Other _____

Replacement canopies for other awning brands will come in two pieces; valance separate from canopy. Please complete steps 4 and 5.

3. Length of Fabric

(end to end/side A)

Feet _____ Inches _____



Note: Give us the exact measurement of your old canopy fabric length - not including awning hardware.

Note: If brand is a Carter awning, please specify width of fabric - B _____

4. Diameter of polycord at roller tube



5/32"



3/16"



1/4"




Polycord is sewn inside the fabric. Cut sections of your old cord and compare with diameters shown above.

Awning Installation Measuring

Patio Awnings


1. When installing a new patio awning on a recreational vehicle, the location of windows, doors, storage compartments, and trim must be considered so the awning will not block or obstruct them. The floorline and solid structural members must be located for proper and secure mounting of hardware.
2. The true awning length is obtained by measuring between top casting to top casting, center-to-center (see illustration below).
3. The two bottom mounting brackets should be positioned directly in line with the floorline of the vehicle. Make sure the center-to-center distance between the two bottom mounting brackets is exactly the same as the distance between the two top mounting brackets and the awning length (see illustration).
4. When ordering replacement fabrics or roller tubes, specify the center-to-center measurement between the top casting and NOT the length of the fabric or roller tube (see illustration). When ordering new awnings, specify the length to nearest foot, not to a fraction of a foot.

Dometic produces special length awnings, for example: 10' 8", 14' 6", 16' 6", and 19' 6". When ordering fabric or roller tubes for these sizes, be sure of the measurement between the center of the top casting to center of top casting. For total overall awning mounting length, add 3 inches to the center-to-center measurement between the top castings.




Window Awnings

1. When installing window awnings on a recreational vehicle, first measure the overall width of each window frame.




2. The awning length is obtained by adding 4" to 6" to the overall width of the window frame



Universal Vinyl Replacement Awning Fabrics*

Dometic can cut fabric for any awning made by other manufacturers.

1. Measure length of fabric end-to-end (A).



Note: Give us the exact measurement of your old fabric length – not including awning hardware. If brand is a Carter Awning, please also specify width of fabric (B).


2. Determine the diameter of polycord at roller tube. Polycord is sewn inside the fabric. Cut sections of your old cord and compare with diameters shown below.

*Other than A&E Awnings

5/32"

3/16"

1/4"



WeatherPro | Power Awning

Measurements

How to determine which model hardware you can use.

Step #1. Measure from top of door to the awning rail, this distance will tell you if you have enough room to install a **WeatherPro and Power Awning**.

a. These minimums needed to use **STANDARD** hardware

- (1) Under 6" - advisable not to use WeatherPro, edge of door will scrape fabric
- (2) Need 6" to install WeatherPro with vinyl weathershield
- (3) Need 7" to install WeatherPro with metal weathershield

Note: Add 2" to the minimum needed if door is at or near center of awning

b. These minimums needed to use **Basement** hardware

- (1) Need 11" to install WeatherPro with vinyl weathershield
- (2) Need 12" to install WeatherPro with metal weathershield

Note: Add 2" to the minimum needed if door is at or near center of awning*

Step #2. Want to know how high roller will be from the ground in the extended/out position? Do the math:

- a. Measure distance from ground to awning rail () minus 18" = () this is the distance roller will be from ground on Standard hardware*
- b. Measure distance from ground to awning rail () minus 36" = () this is the distance roller will be from ground on Basement and 5th Wheel hardware**

Knowing the above measurements will allow you to make the correct choice as to which model of hardware you want to use on your WeatherPro installation.

*Must have minimum of 6" door to rail to use Standard

**Must have minimum of 11" door to rail to use Basement

Specifications

Information you should know about the WeatherPro and Power Awning.

1. Extension when fully extended: 8 feet
2. Lengths available: from 12 to 21 feet in one foot increments
3. Length measured: from center of arm to center of arm
4. Width of arm: 3" (1 1/2": on each side of center)
5. Length of hardware back channel:
 - a. Standard hardware, 65 1/2"
 - b. Basement hardware, 62 1/4"
6. Depth of arm closed: 3 1/4"
7. Bottom bracket location from awning rail:
 - a. Standard hardware, 66"
 - b. Basement hardware, 63" (with extensions add 15")
8. Pitch of fabric when fully open:
 - a. Standard hardware, 13 degrees
 - b. Basement and 5th Wheel hardware, 20 degrees
9. Awning roller tube distance below awning rail when fully open:
 - a. 18" when using Standard hardware
 - b. 36" when using Basement hardware

Example: Awning rail is 110" from ground. . .

- with Standard hardware awning roller tube will be 92" (7' 8")
- with Basement hardware awning roller tube will be 74" (6' 2")

Think China. Think Dometic.

When quality and luxury are important, think china – and that means Dometic. Attractive, stainproof and virtually impervious to damage, 100% vitreous china toilets by Dometic bring residential style and convenience to any RV.

Cheap plastic toilets simply can't compare with Dometic models. Plastic easily stains, cracks and discolors, adding years to an RV's appearance. Our china toilets retain their glossy beauty year after year. And along with that long-lasting beauty comes an unmatched reputation for dependable, trouble-free operation.

Available in a range of styles, flush mechanisms, heights and colors, Dometic toilets use as little as one liter of water per flush. What's more, they can be positioned as far as 20 feet from the RV's holding tank, depending on model, providing virtually unlimited floorplan choices.

Long-lasting beauty, timeless styling and cutting-edge design. No wonder Dometic toilets are America's choice for over-the-road comfort and convenience!



	Concerto™	510H	210	310
Flush-and-Forget Operation	X			
Programmable Water Level				
Vacuum or Gravity Discharge	X	X	X	
Standard 17-inch Seat Height	X			
Tall 18-inch Seat Height				X
Low Profile Model Available		X	X	
Pressure Rim Wash	X	X	X	
Hand Spray Option Available	X	X	X	X
Mounting Bolts	4	2	2	2
Warranty (yrs.)	2	2	2	2
Available Colors:				
White	X	X	X	
Bone	X	X	X	
Platinum		X		

Full Line



Concerto™



510H



210




310



970

Concerto™ Toilets

- 100% vitreous china bowl
- Smooth, contoured styling
- Seat at optimum 17" height for hip and knee comfort
- Whisper-quiet Flush-and-Forget™ gravity operation
- Chrome, gold or nickel hardware for beauty and durability
- Super-quiet operation
- Pressure rim keeps bowl clean
- White or bone finish
- Optional hand spray
- Four-bolt mounting for maximum stability
- Two-year limited warranty
- 10-year limited warranty on bowl finish




ORDER NO.

CONCERTO

302143061	White
302143063	Bone

CONCERTO WITH HAND SPRAY

302143071	White
302143073	Bone



Hand spray option

Dometic 510H Toilets

- Genuine vitreous china bowl construction at the price of plastic!
- Deep, 100% vitreous china bowl
- Contemporary styling fits any decor
- Standard or low-profile height
- Residential-style seat
- Rim design prevents spills
- White, bone, black or platinum finish
- Optional hand spray
- Two-bolt, two-screw mounting for stability
- Two-year limited warranty
- 10-year limited warranty on bowl finish



Hand spray option

ORDER NO.

DOMETIC 510H SERIES STANDARD HEIGHT

302851001	White
302851003	Bone

DOMETIC 510H PLUS SERIES STANDARD HEIGHT W/HAND SPRAY

302951001	White
302951003	Bone


DOMETIC 511 PLUS SERIES LOW PROFILE

302651101	White
302651103	Bone
302651106	Platinum
302651108	Black


DOMETIC 511 PLUS SERIES LOW PROFILE W/HAND SPRAY

302751101	White
302751103	Bone
302751106	Platinum
302751108	Black

Model 510H PLUS



Model 511 PLUS



Dometic 210 Toilets

- Deep, 100% vitreous china bowl
- Very lightweight
- Full-size residential-style seat
- Efficient foot pedal operation with adjustable water level
- Contemporary styling
- Rim design prevents spills
- White or bone finish
- Optional hand spray
- Two-year limited warranty
- 10-year limited warranty on bowl finish



Hand spray option

ORDER NO.

DOMETIC 210 SERIES STANDARD HEIGHT

302621001	White
302621003	Bone

DOMETIC 210 SERIES STANDARD HEIGHT W/HAND SPRAY

302721001	White
302721003	Bone


DOMETIC 210 SERIES LOW PROFILE

302611101	White
302611103	Bone


DOMETIC 210 SERIES LOW PROFILE W/HAND SPRAY

302711101	White
302711103	Bone

Standard Height Model 210



Low Profile Model 210



Dometic 310 Toilets

- Best-in-class gravity flush
- 100 percent vitreous china
- 360 flush coverage
- Powerful swirl-jet cleaning action
- Lightweight
- Long, full-sized seat
- Tall, ergonomic seat height — 18-inches
- Seal tight drop away valve system
- Easily accessible waterline connect
- Two bolt installation
- Two-year warranty
- Optional hand spray
- Low maintenance, reliable operation
- Push to add water operation
- Replaceable seal and water valve



Hand spray option

ORDER NO.

DOMETIC 310 SERIES STANDARD HEIGHT

302310011	White
302310013	Bone

DOMETIC 310 SERIES STANDARD HEIGHT W/HAND SPRAY

302310111	White
302310113	Bone

Dometic 970 Portable Toilets

- Durable, high-density polyethylene construction
- Strong, yet portable
- Scratch-resistant matte finish
- Easy to keep clean and comfortable
- Adult-size seat and lid provide comfort and safety
- Side latches lock firmly for added safety
- Sizes: 5-gallon (18.9-liter) and 2.8-gallon (9.8-liter) holding tank models
- Powerful push-button pressurized flush
- Easy-view prismatic tank level indicator
- Color: Tan or Gray
- Mounting brackets and MSD discharge options available
- Uses less than 1 pint (.41) per flush



ORDER NO.


DOMETIC 970 PORTABLE 2.8 GALLON

301097202	Tan
301097206	Gray
301097402	Tan with Stainless Steel Hold-down Brackets
301097406	Gray with Stainless Steel Hold-down Brackets

ORDER NO.

DOMETIC 970 PORTABLE 5.0 GALLON

301097602	Tan
301097606	Gray
301097502	Tan with Stainless Steel Hold-down Brackets
301097506	Gray with Stainless Steel Hold-down Brackets



Earth-friendly RV Sanitation Products

Bowl Cleaner and Tank Deodorant



- Formaldehyde free
- 75-2 oz. packets
- Convenient, reusable container

Toilet Paper



500/2 ply product. Sheet size 4.5" x 3.5"

Enviro-SOFT

100% Recycled
100% Comfortable

another earth-friendly product from **Dometic**

- Kind for you - Kind for the earth
- Made from 100% recycled paper
- Family friendly
- 100% Comfortable
- Each roll contains 500/2-ply sheets

Dometic Hand Spray Kit

- Easily installed
- Cleans effectively while conserving water
- Compatible with all Traveler® china toilets

ORDER NO.

385319054

White



Common Essentials

ORDER NO. DESCRIPTION

HOLDING TANK DEODORANTS

379224008	2 pack 8 oz. bottles, Liquid Deodorant*
379264008	6 pack 8 oz. bottles, Liquid Deodorant*
379214016	One-16 oz. bottle, Liquid Deodorant*
379214032	One-32 oz. bottle, Liquid Deodorant*
379512602	One-24 oz. Package Bowl Cleaner, Tank Deodorant***
379214128	One-1 gal. bottle, Liquid Deodorant*

CANADIAN LABELS

379214017	One-16 oz. bottle, Liquid Deodorant*
379214034	One-32 oz. bottle, Liquid Deodorant*

FORMALDEHYDE FREE

379124008	2 pack of 8 oz. bottles, Liquid Deodorant*
379114032	One-32 oz. bottle, Liquid Deodorant*
379114128	One-1 gal. bottle, Liquid Deodorant*


TOILET TISSUE

379441204	4 pack/1 ply, Rapid Dissolving Toilet Tissue**
379441205	4 pack/2 ply, Ultra Rapid Dissolving Toilet Tissue**
379700023	96 Individually Wrapped Rolls — 2 ply Enviro-SOFT

OTHER ITEMS


379626002	Six-2 oz. packets per set, Dry Deodorant, Granulated Holding Tank Deodorant***
379314016	One-16 oz. bottle, Liquid China Bowl and Seal Cleanser*
379512602	12 ct. - 2 oz. Clean 'n Green Tank Deodorant Tabs**
379700024	75 ct. - 2 oz. Clean 'n Green Tank Deodorant Tabs

Common Replacement Parts




ORDER NO.
385314349

DESCRIPTION
Water Valve Kit



ORDER NO.
385318162

DESCRIPTION
Flush Ball Kit



ORDER NO.
385316140

DESCRIPTION
Seal Kit, Flush Valve

*Must order by case quantities of 4

**Must order by case quantities of 12

***Must order by case quantities of 6

Comfort By Design

More than 50 years ago, Dometic invented the first RV rooftop air conditioner. Since then, we've perfected it.

Dometic HP model again leads the RV industry in climate control systems. Greater performance and higher efficiency means Dometic offers the largest and best selection of rooftop and ducted air conditioners, heat pumps and manual and remote thermostats. We've maintained our edge over our

competition. And we're committed to keeping it.

Our innovative duct design, high-efficiency compressors and "smart technology" offer one-touch RV climate control. For manufacturers and consumers, for large or small coaches, for new installations or replacements, Dometic has brought a new level of comfort and convenience to the RV lifestyle.



Dometic Air Conditioners

	Model No.	BTU Rating*	Electrical Rating	Compressor Rated Loaded Amps	Fan Motor Rated Loaded Amps	AC Circuit Protection	Upper Unit Weight, lbs.	Thermostats**
ROOFTOP AIR CONDITIONERS								
Penguin	600312	11,000	115VAC/60Hz/1PH	9.5	3.1	20 Amp	95	A, C, D
Penguin	600315	13,500	115VAC/60Hz/1PH	11.5	3.1	20 Amp	95	A, C, D
Penguin	620515	13,500	115VAC/60Hz/1PH	11.5	3.1	20 Amp	100	C
Penguin	620526	15,000	115VAC/60Hz/1PH	12.0	3.3	20 Amp	104	C
Penguin	620525	13,500	115VAC/60Hz/1PH	12.4	3.5	20 Amp	95	C
Penguin	620415	13,500	115VAC/60Hz/1PH	12.4	3.5	20 Amp	95	A
Penguin	620425	13,500	115VAC/60Hz/1PH	12.4	3.5	20 Amp	95	A
Penguin	620426	15,000	115VAC/60Hz/1PH	12.0	3.3	20 Amp	95	A
Dometic HP	520310	9,000	H	7.8	3.0	20 Amp	89	A, C, D
Dometic HP	520315	13,500	H	10.3	3.0	20 Amp	91	A, C, D
Dometic HP	520316	15,000	H	13.2	2.8	20 Amp	105	A, C, D
Brisk Air	57912	11,000	115VAC/60Hz/1PH	8.5	2.5	20 Amp	83	A, C, D
Brisk Air	57915	13,500	115VAC/60Hz/1PH	11.5	2.5	20 Amp	84	A, C, D
Brisk Air	59516	15,000	115VAC/60Hz/1PH	12.3	2.0	20 Amp	108	A, C, D
HIGH-EFFICIENCY AIR CONDITIONERS								
Dometic HP	520300	Hi-Eff	H	7.8	3.0	15 Amp	89	A, C, D
Brisk Air	59530	Hi-Eff	115VAC/60Hz/1PH	8	2	15 Amp	108	A, C

* Nominal Capacity

**Thermostats: A = Analog capable, C = CCC capable Additional control kits for thermostats may be required.
D = ADB Non Ducted Manual Thermostat

Note: Include suffix of Heat Pump or Air Conditioner model number (.xxx) being replaced when ordering a replacement unit.

Comfort By Design

Dometic Heat Pumps

	Model No.	BTU Rating*	Electrical Rating	Compressor Rated Loaded Amps	Fan Motor Rated Loaded Amps	AC Circuit Protection	Upper Unit Weight, lbs.	Thermostats**
ROOFTOP HEAT PUMPS								
Penguin	630025	13,500	115VAC/60Hz/1PH	11.0	3.1	20 Amp	99	D
Penguin	630515	13,500	115VAC/60Hz/1PH	11.5	3.1	20 Amp	100	C
Penguin	630516	15,000	115VAC/60Hz/1PH	12.0	3.3	20 Amp	104	C
Brisk Air	59136	15,000	115VAC/60Hz/1PH	12.7	2.5	20 Amp	100	C
Brisk Air	59146	15,000	115VAC/60Hz/1PH	12.7	2.5	20 Amp	100	A
Dometic HP	530415	13,500	115VAC/60Hz/1PH	10.3	3.0	20 Amp	92	A
Dometic HP	530416	15,000	115VAC/60Hz/1PH	13.2	2.8	20 Amp	106	A
Dometic HP	530515	13,500	115VAC/60Hz/1PH	10.3	3.0	20 Amp	92	C
Dometic HP	530516	15,000	115VAC/60Hz/1PH	13.2	2.8	20 Amp	106	C

* Nominal Capacity **Thermostats: A = Analog capable, C = CCC capable Additional control kits for thermostats may be required.
D = ADB Non Ducted Manual Thermostat

Note: Include suffix of Heat Pump or Air Conditioner model number (.xxx) being replaced when ordering a replacement unit.

ADB/Controls

Air Distribution Box

- New, modern styling from Dometic
- Designed for easy operation
- Rapid cooling
- Quick cool air dump
- Five multi-directional air slots
- Adjustable, ratcheting side vents shoot cold air directly into slideouts and problem areas
- Long lasting Hepa-style, washable filters for cleaner, scrubbed air




Comfort Control Center™ (CCC)

With Intellisense™ Smart Technology for multiple-zoned RV heating and cooling


- Fully automatic zoned cooling and heating – maintains a perfect environment around the clock!
- Can operate/coordinate any combination of up to four units: rooftop/basement air conditioners, heat pumps and furnaces
- “Intellisense” design makes programming simple
- Easy-to-read LCD display
- Simple fingertip operation with only five pushbuttons
- No need to re-program – internal memory “remembers” previous settings!
- Consists of two main components: temperature sensor and control unit

Note: Earlier 4-button CCCs are not compatible with the electronic control unit for 5-button CCCs.



The temperature sensor is installed in designated room or zone inside the RV. It enables the CCC to control the heating/cooling unit that serves that zone.

The control unit receives data from the temperature sensor and regulates the operation of the air conditioner or heat pump. Installation location and wiring varies according to the type of system installed.




More Smart Technology from Dometic:

AGS™ Automatic Generator Start initiates the onboard power supply when needed.

Wall Mounted | Digital | Switches


Wall-Mounted Analog Thermostat

Simple to operate and easy to install



3106995.032, Analog Thermostat Only - 620425, 620426

3107541.009, Analog Control with T-Stat - Cool/Furnace



3106995.032, Analog Thermostat Only - 620425, 620426

3107541.017, Analog Control with T-Stat - Cool/Furnace/Heat Strip



3106995.065, Analog Thermostat Only - Cool/Furnace 620415

3107546.008, Analog Control with T-Stat - Cool/Furnace/Heat Pump

- Simple to operate and easy to install!
- Available in three versions:
air conditioning/furnace only; air conditioning/furnace/heat pump; or air conditioning/furnace/heat strip
- Automatic or manual operation
- Compatible with standard or ducted rooftop or basement installations
- **System Switch:** Selects cooling or heating system: air conditioning, furnace, heat pump or electric heat strip
- **Fan Switch:** AUTO and ON settings for thermostatic or blower-only operation
- **HI/LOW Switch:** Selects fan speed for optimum comfort level (HI for fast temperature adjustments, LO for quieter, continuous operation)
- **Slide Lever:** Sets desired temperature; graduated in both Celsius and Fahrenheit scales



Low Profile (Penguin) | Dometic HP | Standard (Brisk Air) | Basement

Application Chart

Use this chart to determine which control kit can be used with rooftop or basement unit

Page	Model Number	Function(s)	ADB	Analog	CCC
LOW PROFILE (PENGUIN) MODELS					
4-6.0	630025	Heat Pump/Cool	Yes	No	No
4-6.0	630515	Heat Pump/Cool	Yes ¹	No	Yes ¹
4-6.0	630516	Heat Pump/Cool	Yes ¹	No	Yes ¹
4-7.0	600312	Cool Only	Yes ²	Yes ⁴	Yes ⁴
4-7.0	600315	Cool Only	Yes ²	Yes ⁴	Yes ⁴
4-7.0	620415	Cool w/Heat Strip	Yes ⁶	Yes ⁶	No
4-7.0	620425	Cool Only	Yes ⁶	Yes ⁶	No
4-7.0	620426	Cool Only	Yes ⁶	Yes ⁶	No
4-7.0	620515	Cool w/Heat Strip	Yes ⁴	No	Yes ⁴
4-7.0	620525	Cool Only	Yes ⁴	No	Yes ⁴
4-7.0	620526	Cool Only	Yes ⁴	No	Yes
STANDARD (BRISK AIR) MODELS					
4-8.0	59136	Heat Pump/Cool	No	No	Yes ⁴
4-8.0	59146	Heat Pump/Cool	Yes	Yes ⁴	No
4-9.0	57912	Cool Only	Yes ²	Yes ^{2,4}	Yes ^{2,4}
4-9.0	57915	Cool Only	Yes ²	Yes ^{2,4}	Yes ^{2,4}
4-9.0	59516	Cool Only	Yes ²	Yes ^{2,4}	Yes ^{2,4}
4-12.0	59530	Cool Only	Yes	Yes ⁴	Yes ⁴
STANDARD (DOMETIC HP) MODELS					
4-10.0	530415	Heat Pump/Cool	No	Yes ⁴	No
4-10.0	530416	Heat Pump/Cool	No	Yes ⁴	No
4-10.0	530515	Heat Pump/Cool	No	No	Yes ⁴
4-10.0	530516	Heat Pump/Cool	No	No	Yes ⁴
4-11.0	520310	Cool Only	Yes	Yes ⁴	Yes ⁴
4-11.0	520315	Cool Only	Yes	Yes ⁴	Yes ⁴
4-11.0	520316	Cool Only	Yes	Yes ⁴	Yes ⁴
4-12.0	520300	Cool Only	Yes	Yes ⁴	Yes ⁴

1. PC board in upper unit - must use Comfort Control Center

2. Optional heat strip available

3. Included with unit

4. Requires add-on AC control kit

5. Relay board is built-in

6. PC board in upper unit - must use Analog Thermostat

7. PC board in upper unit - must use Digital Thermostat

Penguin Low Profile Heat Pumps

Heat and Cool

Penguin Heat Pumps

(Available in Polar White or Shell White)

ORDER NO.

630025	13,500 BTU Penguin
630515	13,500 BTU ADB or Duct with Electronic Board Built-In (Comfort Control Center)
630516	15,000 BTU ADB or Duct with Electronic Board Built-In (Comfort Control Center)

ACCESSORIES FOR MODEL 630025


3310700.000	ADB Mechanical T-Stat - Shell White
3310700.014	ADB Mechanical T-Stat - Polar White

ACCESSORIES FOR MODEL 630515 & 630516

3310742.000*	ADB Wall Thermostat - Shell White
3310742.014*	ADB Wall Thermostat - Polar White
3109228.001	Comfort Control Center - White
3109228.019	Comfort Control Center - Black
3105935.039	Quick Cool Ducted Return Air Package - Shell White
3105935.047	Quick Cool Ducted Return Air Package - Polar White
3308120.504	Ducted Return Air Package - Shell White Genesis Air Filtration System
3308120.512	Ducted Return Air Package - Polar White Genesis Air Filtration System
3107180.006	Bolt and Junction Cover Kit - For use with Ducted Application Only

3308155.005	Genesis Air Filter Replacement Kit - Shell White
3308155.013	Genesis Air Filter Replacement Kit - Polar White
3311109.000	Duct Adapter Kit


* Duct Adapter Kit Required



Quick cool return air package.



Air distribution box (ADB) with manual controls for use with non-ducted application.




Analog Control System may be used with ADB.



Genesis Air Filtration System for use with ducted Dometic ACs and Heat Pumps.



5,600 BTU heat kit can be factory or field installed.



Comfort Control Center™ may be used with ADB.

Notes: Upper unit model and serial numbers located on bottom of base pan near return air opening.
Model and serial numbers on controls located on top of control box.

Penguin Low Profile Air Conditioners

Cool Only

Penguin Low Profile Models
(Available in Polar White or Shell White)

ORDER NO.


600312	11,000 BTU Upper Unit
600315	13,500 BTU Upper Unit
620415	13,500 BTU Upper Unit (Electronics and Heat Strip are Pre-Installed) Analog Thermostat Required
620425	13,500 BTU Upper Unit (Board Pre-Installed) Analog Thermostat Required
620426	15,000 BTU Upper Unit (Board Pre-Installed) Analog Thermostat Required
620515	13,500 BTU Upper Unit (Electronics and Heat Strip are Pre-Installed) CCC Required
620525	13,500 BTU Upper Unit (Board Pre-Installed) Comfort Control Center Required
620526	15,000 BTU Upper Unit (Electronics Pre-Installed). CCC Required

CEILING ADB ASSEMBLIES

3310700.000	ADB Mechanical Thermostat - Shell White - 600312, 600315 Only
3310700.012	ADB Mechanical Thermostat - Polar White - 600312, 600315 Only
3310742.000	ADB Wall Thermostat - Shell White
3310742.014	ADB Wall Thermostat - Polar White

CONTROL COMPONENTS

3109228.001	Comfort Control Center - White - 600312, 600315, 620515, 620525, 620526 Only
3109228.019	Comfort Control Center - Black
3109226.005	Electronic Control Kit - 600312, 600315 Only
3107541.009	Analog Control and T-Stat Cool/Furnace - 600312, 600315 Only
3106995.032	Analog Thermostat Only - 620425, 620426 Only
3106995.065	Analog Thermostat - Cool/Furnace - 620415 Only
3107541.017	Analog Control and T-Stat Cool/Furnace/Heat Strip
3311109.000	Duct Adapter Kit



RETURN AIR GRILLES

3308120.504	Ducted Return Air Package - Shell White Genesis Air Filtration System
3308120.512	Ducted Return Air Package - Polar White Genesis Air Filtration System
3105935.039	Quick Cool Return Air Package - Shell White
3105935.047	Quick Cool Return Air Package - Polar White

OTHER PENGUIN ACCESSORIES


3100270P002	Grill Package
3100281P009	Air Filter Package
3100781P008	Manual Thermostat Package
3101121.030	Heat Kit for Non-Ducted Models
3100895.006	4 - 6 in. Bolts
3107688.016	Drain Kit
3105584.001	18 in. Extension Cord
318556.000	4 - 6 in. Duct
3106486.008	Remote Sensor



Quick cool return air package.



Air distribution box (ADB) with manual controls for use with non-ducted application.




Analog Control System may be used with ADB.



Genesis Air Filtration System for use with ducted Dometic ACs and Heat Pumps.



5,600 BTU heat kit can be factory or field installed.



Comfort Control Center™ may be used with ADB.

Brisk Air Heat Pumps | Heat and Cool

Standard Profile Air Conditioners and Heat Pumps

Heat and Cool Brisk Air Heat Pumps

ORDER NO.

59136	15,000 BTU Brisk Air Ducted Application CCC Required
59146	15,000 BTU Brisk Air Non-Ducted or Ducted with Analog T-Stat


ACCESSORIES FOR MODEL 59136

3109228.001	Comfort Control Center - White
3109228.019	Comfort Control Center - Black
3109226.005	Electronic Control Kit
3308120.504	Ducted Return Air Package - Shell White Genesis Air Filtration System
3308120.512	Ducted Return Air Package - Polar White Genesis Air Filtration System
3105935.039	Quick Cool Return Air Package - Shell White
3105935.047	Quick Cool Return Air Package - Polar White

ACCESSORIES FOR MODEL 59146

3107208.021	ADB to be used with Analog Control and T-Stat - Shell White
3107208.039	ADB to be used with Analog Control and T-Stat - Polar White
3105935.039	Quick Cool Return Air Package - Shell White
3105935.047	Quick Cool Return Air Package - Polar White
3107209.003	ADB Assembly Shell White (Manual Controls)
3107209.011	ADB Assembly Polar White (Manual Controls)
3107546.008	Analog Control and T-Stat - Cool/Furnace/ Heat Pump

Notes: Upper unit model and serial numbers located on bottom of base pan near return air opening.
Model and serial numbers on controls located on top of control box.



*Roof unit height 12.7"
57908 - 10.7"



Quick cool
return air
package.




Analog Control
System may
be used with
ADB.



Genesis Air Filtration System for
use with ducted Dometic ACs and
Heat Pumps.



5,600 BTU
heat kit can
be factory
or field
installed.



Comfort
Control
Center™ may
be used with
ADB.

Brisk Air Air Conditioners

Cool Only

BRISK AIR MODELS

ORDER NO.

57912	11,000 BTU Upper Unit - Polar White or Shell White
57915	13,500 BTU Upper Unit - Polar White or Shell White
59516	15,000 BTU Upper Unit - Polar White or Shell White

CEILING ADB ASSEMBLIES

3107206.009	ADB Kit - Shell White (Manual Controls)
3107206.017	ADB Kit - Polar White (Manual Controls)
3107210.019	ADB - Requires Analog or Comfort Control - Polar White

CONTROL COMPONENTS


3109228.001	Comfort Control Center - White
3109228.019	Comfort Control Center - Black
3109226.005	Electronic Control Kit
3107541.009	Analog Control with T-Stat - Cool/Furnace
3107541.017	Analog Control with T-Stat - Cool/Furnace/Heat Strip

RETURN AIR GRILLES FOR DUCTED SYSTEMS

3308120.504	Ducted Return Air Package - Shell White Genesis
3308120.512	Ducted Return Air Package - Polar White Genesis
3105935.039	Quick Cool Return Air Package - Shell White
3105935.047	Quick Cool Return Air Package - Polar White

OTHER BRISK AIR ACCESSORIES


3108015.003	Air Filter
3308155.005	Filter Kit - Genesis Air Filtration System - Shell White
3308155.013	Filter Kit - Genesis Air Filtration System - Polar White
3100781P008	Manual Thermostat Package
3101121.030	Heat Kit for Non-Ducted Models
3105164.002	Heat Kit for Ducted Models
3100895.006	4 - 6 in. Bolts
3101538.001	6 - 9 in. Bolts
3105584.001	18 in. Extension Cord
3106775.004	4 - 6 in. Duct Kit



*Roof unit height 12.7"
57908 - 10.7"



Quick cool
return air
package.




Analog Control
System may
be used with
ADB.



Genesis Air Filtration System for
use with ducted Dometic ACs and
Heat Pumps.



5,600 BTU
heat kit can
be factory
or field
installed.



Comfort
Control
Center™ may
be used with
ADB.

Dometic HP Heat Pumps

Heat and Cool

DOMETIC HP HEAT PUMPS

ORDER NO.

530415	13,000 BTU Ducted (Requires Analog Control Kit - Includes Analog Thermostat Cool/Furnace/Heat Pump)
530416	15,000 BTU Ducted (Requires Analog Control Kit - Includes Thermostat Cool/Furnace/Heat Pump)
530515	13,500 BTU Ducted (Requires Electronic Control Kit and Comfort Control Center)
530516	15,000 BTU Ducted (Requires Electronic Control Kit and Comfort Control Center)

CONTROLS FOR MODELS 530415 & 530416

3107546.008	Analog Control with Thermostat - Cool/Furnace/Heat Pump
-------------	---

CONTROLS FOR MODELS 530515 & 530516

3109226.005	Electronic Control Kit
3109228.001	Comfort Control Center - White
3109228.019	Comfort Control Center - Black

ACCESSORIES FOR ALL HEAT PUMP MODELS (EXCEPT ADB MECHANICAL)


3310742.000	ADB Wall Thermostat - Shell White
3310742.014	ADB Wall Thermostat - Polar White
3105935.039	Return Air Cover Kit - Quick Cool - Shell White
3105935.047	Return Air Cover Kit - Quick Cool - Polar White
3308120.504	Return Air Package - Genesis Air Filtration System - Shell White
3308120.512	Return Air Package - Genesis Air Filtration System - Polar White



Quick cool return air package.



Air distribution box (ADB) with manual controls for use with non-ducted application.




Analog Control System may be used with ADB.



Genesis Air Filtration System for use with ducted Dometic ACs and Heat Pumps.



5,600 BTU heat kit can be factory or field installed.



Comfort Control Center™ may be used with ADB.

Dometic HP Air Conditioners

Cool Only

DOMETIC HP AIR CONDITIONERS

ORDER NO.

520310	9,000 BTU Upper Unit (Requires an ADB Kit or Electronic Control Kit)
520315	13,500 BTU Upper Unit (Requires an ADB Kit or Electronic Control Kit)
520316	15,000 BTU Upper Unit (Requires an ADB Kit or Electronic Control Kit)

CONTROL COMPONENTS

3310700.000	ADB - Manual Controls - Shell White
3310700.012	ADB - Manual Controls - Polar White
3310742.000	ADB Wall Thermostat - Shell White
3310742.014	ADB Wall Thermostat - Polar White
3109226.005	Electronic Control Kit
3109228.001	Comfort Control Center - White
3109228.019	Comfort Control Center - Black
3107541.009	Analog Control with T-Stat Cool/Furnace
3107541.017	Analog Control with T-Stat Cool/Furnace/Heat Strip

RETURN AIR GRILLES FOR DUCTED SYSTEMS

3105935.039	Quick Cool Ducted Return Air Package - Shell White
3105935.047	Quick Cool Ducted Return Air Package - Polar White
3308120.504	Ducted Return Air Package - Shell White Genesis Air Filtration System
3308120.512	Ducted Return Air Package - Polar White Genesis Air Filtration System



Quick cool
return air
package.



Air distribution
box (ADB) with
manual controls
for use with
non-ducted
application.




Analog Control
System may
be used with
ADB.



Genesis Air Filtration System for
use with ducted Dometic ACs and
Heat Pumps.



5,600 BTU
heat kit can
be factory
or field
installed.



Comfort
Control
Center™ may
be used with
ADB.

High Efficiency | Shrouds

High Efficiency

ORDER NO.

59530 – BRISK AIR HIGH EFFICIENCY*



3107211.009	ADB (Mechanical) - Shell White
3107211.017	ADB (Mechanical) - Polar White
3109407.001	Electronic Control Kit (Requires Comfort Control Center)
3109228.001	Comfort Control Center - White
3109228.019	Comfort Control Center - Black
3107541.009	Analog Controller Kit - Includes Thermostat - Cool/Furnace
3105935.039	Return Air Cover Kit - Quick Cool - Shell White
3105935.047	Return Air Cover Kit - Quick Cool - Polar White

520300 – DOMETIC HP HIGH EFFICIENCY*


3310741.000	ADB (Mechanical) - Shell White
3310741.016	ADB (Mechanical) - Polar White
3109407.001	Electronic Control Kit (Requires Comfort Control Center)
3109228.001	Comfort Control Center - White
3109228.019	Comfort Control Center - Black
3107541.009	Analog Controller Kit - Includes Thermostat - Cool/Furnace
3105935.039	Return Air Cover Kit - Quick Cool - Shell White
3105935.047	Return Air Cover Kit - Quick Cool - Polar White

* High Efficiency Upper Unit (Requires ADB or Electronic Kit)

Notes: Model and serial numbers located on bottom of base pan near return air opening. ADB exclusive to High Efficiency model.
No heat strip option.




Air Distribution Box (ADB) -
use with non-ducted system.



Comfort Control
Center™ may be
used with ADB.



Air distribution
box (ADB) with
manual controls
for use with
non-ducted
application.



Comfort Control
Center™ may be
used with ADB.

Common Parts

Common Parts

The following is a list of the 10 most frequently ordered air conditioner parts. Your FDD specialist can assist you to determine the optimum quantities you may want to stock.

ORDER NO.

3310718.006	Brisk Air Gasket
3100247.000	14" x 14" Mounting Gasket - Penguin and Older Brisk Air Models
3100781.008	Manual Thermostat Only
3100270.002	Return Grill (Penguin - SW) - Non Ducted
3100270.010	Return Grill (Penguin Only - PW)
3108015.003	Air Box Filter
3108706.916	Fan Motor - Brisk Air Only
3107914.008	Fan Blade - Brisk Air Only
3310727.007	Motor Starter Kit
3107053.005	Grille only - PW - Non-Ducted
3107053.013	SW - Non-Ducted
3104928.001	Grille Only - SW - Ducted
3104928.019	Grille Only - PW - Ducted

Replacement Upper Unit Shrouds

For standard and high efficiency A/Cs

ORDER NO.

BRISK AIR REPLACEMENT SHROUDS

3309517.005	7,100 BTU Brisk Air - Polar White
3309518.003	All Other Brisk Air - Polar White
3308781.008	With Full Cover - Shell White, Closed Ended
3308782.006	With Full Cover - Polar White, Closed Ended

PENGUIN REPLACEMENT SHROUDS

3308046.006	11,000 & 13,500 Only - Shell White
3308046.014	11,000 & 13,500 Only - Polar White
3308047.004	15,000 - Shell White - Big Bird

DOMETIC HP REPLACEMENT SHROUDS


3310710.003	Polar White
3312362.001	Gray

Heki Skylights

Heki 2 De Luxe:

Light, fresh air plus security

- Soft, subdued lighting
- Innovative Duette honeycomb material for superior thermal insulation
- Blind and screen are mounted to the inner frame and can be operated together or independently
- Bars are specifically developed to match the colors of the inner frame
- Four integrated 5 watt bulbs for soft, subdued lighting
- Cream




ORDER NO.

H2DOM11272555 37.8" x 25.8" - 2.1" - 2.4" Wall Thickness

Heki Midi:

The smart choice in skylights

- Superior ventilation
- Three operational models: bar, crank or electronic drive
- Blind and screen are guided sideways for perfect control
- Independent positioning of the blind
- Three positions: completely open, half open and bad weather position
- Opening positions:
 - Bar = 45°
 - Electric drive = 60°



ORDER NO.

MDHDOM13682544 27.6" x 19.7" Operating Bar - No Vent

MDHDOM13702502 27.6" x 19.7" Electric

Seitz Windows

Seitz S4 Hinged Window:

The complete window system. Let the sun shine in!

- Equal to homebuilder standards
- One hand operation
- Wide panoramic view
- Three operating positions
- Dual pane construction
- Excellent thermal insulation
- Acrylic double-glazed window



ORDER NO.

S4DOM0401155	S4 Top Hung (19.7" x 13.8") (1.2") Wall Thickness
S4DOM040166	S4 Top Hung (25.6" x 11.8") (1.2") Wall Thickness
S4DOM040164	S4 Top Hung (31.5" x 13.8") (1.2") Wall Thickness

ORDER NO.

S4DOM0401156	S4 Top Hung (56.3" x 23.7") (1.2") Wall Thickness
S4DOM0401157	S4 Top Hung (56.3" x 27.6") (1.2") Wall Thickness

Seitz C Hinged Window:

Euro design

- Top hinge with unrestricted panoramic view
- Nighttime sleeping position
- Three opening heights with telescopic arms
- Lightweight
- Dual pane construction — home style glass values
- Double cassette blind system — separate screen and blind operation
- Night latch for fresh air and privacy



ORDER NO.

DOMC50110	C5 Frameless (27.6" x 20.5") Standard Tint
DOMC50107	C5 Frameless (35.4" x 20.5") Standard Tint

ORDER NO.

DOMC50108	C5 Frameless (35.4" x 20.5") Medium Tint
DOMC50106	C5 Frameless (51.2" x 20.5") Standard Tint